

COUNTER COPY

SEPT. '73



**MOTORCYCLE
PARTS
PRICE LIST**

SOLE U.S. IMPORTER

BUTLER & SMITH, INC.

EAST

WEST

**WALNUT STREET & HUDSON AVE.
NORWOOD, NEW JERSEY 07648**

**135 E. STANLEY STREET
COMPTON, CALIFORNIA 90220**

EFFECTIVE SEPT. 15th, 1973

The speed and accuracy of our parts service depends to a great degree on the speed and accuracy with which you place your order.

When ordering spare parts, please use the BMW order form and yellow self-addressed envelope. For each order furnish full and complete information; type or print the following clearly:

- Give:
- 1) *Name and address of your firm*
 - 2) *Specify method of shipment or mark "Best Way."*
 - 3) *List quantity desired.*
 - 4) *List parts number and description*
 - 5) *Specify color on painted items.*
 - 6) *Specify method of payment.*

Whenever you are uncertain about a part number, give model, year, and engine number of motorcycle for which part is required.*

All prices f.o.b. Norwood, New Jersey, or Compton, California.

Items that are temporarily out of stock will be back ordered and shipped as soon as available.

All prices are subject to change without notice.

The effective date of this price list is Sept. 15th, 1973.

BUTLER & SMITH, INC.

**You can determine year and model of BMW motorcycles by referring to the list on the next page.*

THE FOLLOWING ARE THE ENGINE NUMBERS OF THE VARIOUS BMW MODELS:

	YEAR	MODEL	ENGINE NUMBERS
2500 cc Single	1949	R 24	200 009 - 212 007
	1950/51	R 25	220 001 - 243 400
	1951/53	R25/2	245 001 - 283 650
	1954	R25/3	284 001 - 331 705
	1955/61	R26	340 001 -
	1961	R27	372 001 - 387 566
500 cc Twin	1950	R51/2	516 001 - 521 005
	1951	R51/3	522 001 - 526 209
	1952	R51/3	526 210 - 536 000
	1954	R51/3	536 001 - 540 950
	1955/61	R 50	550 001 - 563 515
	1961 -	R 50/2, R 50 US	630 001 - 649 037
	1961	R 50S	564 001 - 565 634
600 cc Twin	1951	R 67	610 001 - 611 449
	1951	R67/2	612 001 - 616 226
	1954	R 67/3	616 227 - 617 700
	1956/61	R 60	618 001 - 621 530
	1961 -	R 60/2	622 001 - 629 999
	1952	R 60/2, R 60 US	1 810 001 - 1 819 307
600 cc Twin Sport	1952	R 68	650 001 - 651 453
	1955/61	R 69	652 001 - 654 955
	1961	R 69S, R69 US	655 004 - 666 320
Type 246			
500 cc	1970 -	R 50/5	2 900 001 - 2 903 623
600 cc	1970 -	R 60/5	2 930 001 - 2 938 704
750 cc	1970 -	R 75/5	2 970 001 - 2 982 727
500 cc	1972/73	R 50/5	2 903 624 - 2 906 303
600 cc	1972/73	R 60/5	2 938 705 - 2 947 965
750 cc	1972/73	R 75/5	2 982 738 - 2 997 997
500 cc	1973	R 50/5	2 906 304 -
600 cc	1973	R 60/5	2 947 966 -
750 cc	1973	R 75/5	2 997 998 -

SUGGESTED LIST

01 09 9 099 134	Parts Book without Cover /5	25.50
01 09 9 099 140	Parts Book With Cover /5	30.00
01 09 9 099 161	Parts Book With Cover R26 R27 R50 to R69S	30.00
01 09 9 099 480	Cover for Parts Books	8.50
01 41 9 099 101	Handbook /5 1970 to 1971	4.50
01 41 9 099 101	Handbook /5 1972	4.50
01 41 9 099 137	Handbook R27	4.50
01 41 9 099 173	Handbook R50 to R69S	4.50
01 51 9 099 051	Shop Manual /5	21.00
01 59 9 099 176	Shop Manual R50 to R69S	26.00
01 61 9 099 041	Flat Rate Manual /5	16.00
01 80 9 750 010	Stick Pin	.75
01 80 9 750 012	Cap Pin	1.50
01 80 9 750 075	Cloth Badge	.75
01 99 9 099 421	Tool List	4.50
07 11 0 014 100	Piston Ring Std.	1.50
07 11 0 014 112	Piston Ring Std.	1.80
07 11 0 014 116	Piston Ring +1mm	1.80
07 11 0 014 122	Piston Ring Std.	2.25
07 11 0 014 123	Piston Ring +05	2.25
07 11 0 014 124	Piston Ring +1mm	2.25
07 11 0 014 127	Piston Ring Std.	1.80
07 11 0 014 128	Piston Ring +05	1.80
07 11 0 014 129	Piston Ring +1mm	1.80
07 11 0 014 159	Piston Ring Std.	1.80
07 11 0 014 160	Piston Ring +05	1.80
07 11 0 014 161	Piston Ring +1mm	1.80
07 11 0 014 186	Oil Ring Std.	2.75
07 11 0 014 187	Oil Ring +05	2.75
07 11 0 014 188	Oil Ring +1mm	2.75
07 11 0 014 211	Piston Ring Std. R60/2 R69S	1.80
07 11 0 014 212	Piston Ring +05 R60/2 R69S	1.80
07 11 0 014 213	Piston Ring +1mm R60/2 R69S	1.80
07 11 0 014 214	Oil Ring Std. R60/2 R69S	2.75
07 11 0 014 215	Oil Ring +05 R60/2 R69S	2.75
07 11 0 014 216	Oil Ring +1mm R60/2 R69S	2.75
07 11 0 014 537	Piston Ring Std.	2.75
07 11 0 014 538	Piston Ring +05	2.75
07 11 0 014 539	Piston Ring +1mm	2.75
07 11 0 014 543	Oil Ring Std.	2.25
07 11 0 014 544	Oil Ring +05	2.25
07 11 0 014 545	Oil Ring +1mm	2.25
07 11 0 014 577	Piston Ring Std. R27	1.50
07 11 0 014 578	Piston Ring +05 R27	1.50
07 11 0 014 579	Piston Ring +1mm R27	1.50

07 11 0 034 190	Use 33 12 0 034 190	
07 11 9 900 106	Screw	.10
07 11 9 900 120	Screw 6 x 25	.15
07 11 9 900 147	Screw 8 x 10	.15
07 11 9 900 810	Screw 6 x 10	.18
07 11 9 900 820	Screw 6 x 20	.23
07 11 9 900 869	Screw 8 x 20	.30
07 11 9 901 059	Screw 4 x 25	.10
07 11 9 901 197	Screw 6 x 30	.15
07 11 9 901 310	Screw 4 x 8	.15
07 11 9 901 322	Screw 4 x 12	.10
07 11 9 901 428	Screw 6 x 25	.15
07 11 9 901 690	Screw 4 x 10	.15
07 11 9 901 763	Screw 5 x 12	.15
07 11 9 901 771	Screw 5 x 15	.15
07 11 9 901 820	Screw 5 x 40	.15
07 11 9 901 849	Screw 6 x 20	.15
07 11 9 903 196	Stud 6 x 18	.55
07 11 9 903 209	Stud 6 x 22	.60
07 11 9 903 300	Stud 8 x 12	.55
07 11 9 903 303	Stud 8 x 15	.55
07 11 9 903 306	Stud 8 x 18	.55
07 11 9 903 326	Stud 8 x 25	.70
07 11 9 903 339	Stud 8 x 30	.70
07 11 9 903 349	Stud 8 x 35	.75
07 11 9 903 372	Stud 8 x 50	.75
07 11 9 903 380	Stud 8 x 60	.75
07 11 9 903 390	Stud 8 x 75	.90
07 11 9 903 416	Use 07 11 9 908 370	
07 11 9 903 436	Stud 10 x 35	.75
07 11 9 903 503	Stud 8 x 1 x 15	.55
07 11 9 903 530	Stud 8 x 1 x 28	.70
07 11 9 903 540	Stud 8 x 1 x 50	.75
07 11 9 905 660	Set Screw 4 x 6 x 3	.30
07 11 9 906 014	Allen Wrench 4mm	.60
07 11 9 906 020	Allen Wrench 5mm	.60
07 11 9 906 026	Allen Wrench 6mm	.75
07 11 9 906 032	Allen Wrench 8mm	2.25
07 11 9 907 058	Screw 4 x 8	.15
07 11 9 907 101	Screw 5 x 6	.10
07 11 9 907 450	Screw	.50
07 11 9 907 603	Screw 3 x 8	.10
07 11 9 907 611	Screw 4 x 8	.10
07 11 9 907 626	Screw 5 x 12	.15
07 11 9 907 639	Screw 5 x 10	.15
07 11 9 907 642	Screw 3.5 x 25	.15
07 11 9 907 687	Screw 4 x 6	.15

SUGGESTED LIST

07 11 9 907 712	Screw B2.9 x 13	.10
07 11 9 907 719	Use 07 11 9 907 774	
07 11 9 907 733	Screw	.10
07 11 9 907 741	Screw B4.2 x 9.5	.10
07 11 9 907 774	Screw	.10
07 11 9 907 791	Screw 6 x 15	.10
07 11 9 908 255	Stud 6 x 25	.30
07 11 9 908 308	Stud 8 x 18	.60
07 11 9 908 328	Stud 8 x 25	.75
07 11 9 908 336	Stud 8 x 50	.90
07 11 9 908 370	Stud 10 x 22	.90
07 11 9 908 378	Stud 10 x 30	1.05
07 11 9 908 385	Stud 10 x 35	1.05
07 11 9 908 391	Stud 10 x 55	1.10
07 11 9 910 405	Bolt 6 x 15	.20
07 11 9 910 409	Bolt 6 x 18	.20
07 11 9 911 214	Bolt 6 x 15	.20
07 11 9 911 218	Bolt 6 x 15	.20
07 11 9 911 628	Bolt 10 x 1 x 18	.35
07 11 9 911 630	Bolt 10 x 1 x 20	.35
07 11 9 911 631	Bolt 10 x 1 x 20	.35
07 11 9 911 850	Bolt 10 x 1 x 28	.40
07 11 9 912 192	Bolt 5 x 30	.20
07 11 9 912 266	Bolt 6 x 28	.20
07 11 9 912 282	Bolt 6 x 30	.30
07 11 9 912 303	Bolt 6 x 35	.30
07 11 9 912 310	Bolt 6 x 40	.30
07 11 9 912 316	Bolt 6 x 42	.30
07 11 9 912 326	Bolt 6 x 45	.30
07 11 9 912 335	Bolt 6 x 50	.30
07 11 9 912 357	Bolt	.40
07 11 9 912 446	Bolt 8 x 28	.30
07 11 9 912 468	Bolt 8 x 32	.35
07 11 9 912 477	Bolt 8 x 35	.35
07 11 9 912 507	Bolt 8 x 45	.40
07 11 9 912 508	Bolt 8 x 45	.40
07 11 9 912 515	Bolt 8 x 50	.40
07 11 9 912 525	Bolt 8 x 55	.45
07 11 9 912 551	Bolt 8 x 75	.45
07 11 9 912 556	Bolt 8 x 80	.55
07 11 9 912 620	Bolt 10 x 30	.45
07 11 9 912 629	Bolt 10 x 40	.45
07 11 9 912 646	Bolt 10 x 50	.50
07 11 9 913 021	Screw	.20
07 11 9 913 210	Bolt 5 x 8	.16
07 11 9 913 222	Bolt 5 x 10	.16
07 11 9 913 227	Bolt 5 x 12	.16
07 11 9 913 235	Bolt 5 x 15	.16

07 11 9 913 250	Bolt 5 x 20	.16
07 11 9 913 418	Bolt 6 x 18	.16
07 11 9 913 425	Bolt 6 x 10	.16
07 11 9 913 430	Bolt 6 x 10	.16
07 11 9 913 441	Bolt 6 x 12	.30
07 11 9 913 445	Bolt 6 x 12	.45
07 11 9 913 455	Bolt 6 x 15	.20
07 11 9 913 466	Bolt 6 x 16	.20
07 11 9 913 470	Bolt 6 x 18	.20
07 11 9 913 472	Bolt 6 x 18	.20
07 11 9 913 476	Bolt 6 x 20	.20
07 11 9 913 480	Bolt 6 x 25	.20
07 11 9 913 482	Bolt 8 x 22	.30
07 11 9 913 620	Bolt 8 x 15	.30
07 11 9 913 626	Bolt 8 x 18	.20
07 11 9 913 640	Bolt 8 x 20	.20
07 11 9 913 644	Bolt 8 x 20	.20
07 11 9 913 654	Bolt 8 x 25	.30
07 11 9 913 656	Bolt 8 x 25	.30
07 11 9 913 661	Bolt 8 x 30	.65
07 11 9 913 662	Bolt 8 x 30	.30
07 11 9 913 819	Bolt 10 x 18	.35
07 11 9 913 821	Use 07 11 9 913 819	
07 11 9 913 831	Bolt 10 x 25	.40
07 11 9 913 854	Bolt 10 x 40	.55
07 11 9 913 878	Bolt 10 x 18	.40
07 11 9 913 880	Bolt 10 x 20	.40
07 11 9 913 891	Bolt 12 x 25	.55
07 11 9 914 005	Bolt 8 x 1 x 15	.40
07 11 9 914 020	Bolt 8 x 1 x 22	.75
07 11 9 914 040	Bolt 8 x 1 x 28	.30
07 11 9 914 045	Bolt 8 x 1 x 28	.90
07 11 9 914 050	Bolt 8 x 1 x 30	.30
07 11 9 914 052	Bolt 8 x 1 x 30	.35
07 11 9 914 057	Bolt 8 x 1 x 35	.35
07 11 9 914 062	Bolt	.35
07 11 9 914 070	Bolt 8 x 1 x 45	.35
07 11 9 914 093	Bolt 8 x 1 x 100	.55
07 11 9 914 096	Bolt 8 x 1 x 110	.65
07 11 9 914 345	Bolt 10 x 1 x 42	1.10
07 11 9 914 347	Bolt 10 x 1 x 48	1.10
07 11 9 914 364	Bolt 10 x 1 x 68	.65
07 11 9 914 625	Bolt 12 x 1.5 x 45	.65
07 11 9 914 665	Bolt 12 x 1.5 x 82	.90
07 11 9 915 030	Bolt with Lockwasher	.20
07 11 9 919 123	Use 07 11 9 919 124	
07 11 9 919 124	Plug 18 x 1.5	.95
07 11 9 919 216	Plug 10 x 1 x 6	.45
07 11 9 919 226	Plug 12 x 1.5	.55
07 11 9 919 348	Screw 3.5 x 5.5	.20
07 11 9 919 360	Screw 4 x 6	.10
07 11 9 919 364	Screw 4 x 8	.10

SUGGESTED LIST

07 11 9 919 371	Screw	4 x 10	.10
07 11 9 919 381	Screw	4 x 12	.10
07 11 9 919 386	Screw	4 x 15	.10
07 11 9 919 420	Screw	5 x 15	.30
07 11 9 919 467	Screw	6 x 15	.10
07 11 9 919 611	Screw	5 x 8	.20
07 11 9 919 613	Bolt	5 x 12	.30
07 11 9 919 617	Bolt	5 x 20	.30
07 11 9 919 648	Bolt	8 x 40	.65
07 11 9 919 656	Bolt	8 x 80	.70
07 11 9 919 901	Bolt	5 x 12	.20
07 11 9 919 902	Bolt	5 x 12	.20
07 11 9 919 903	Bolt	5 x 20	.30
07 11 9 919 908	Bolt	5 x 45	.45
07 11 9 919 909	Bolt	5 x 45	.45
07 11 9 919 910	Bolt	6 x 10	.35
07 11 9 919 912	Bolt	6 x 12	.35
07 11 9 919 916	Screw	6 x 15	.35
07 11 9 919 918	Bolt	6 x 19	.35
07 11 9 919 920	Bolt	6 x 20	.40
07 11 9 919 921	Bolt	6 x 25	.40
07 11 9 919 927	Bolt	6 x 30	.45
07 11 9 919 931	Bolt	6 x 35	.45
07 11 9 919 937	Screw	6 x 40	.45
07 11 9 919 942	Screw	8 x 80	.70
07 11 9 919 956	Bolt	6 x 60	.65
07 11 9 919 960	Screw	6 x 70	.65
07 11 9 919 965	Bolt	6 x 16	.35
07 11 9 919 971	Bolt	8 x 15	.40
07 11 9 919 978	Bolt	8 x 25	.45
07 11 9 919 984	Bolt	8 x 35	.55
07 11 9 919 987	Bolt	8 x 45	.65
07 11 9 921 025	Nut	BM4	.20
07 11 9 921 038	Nut		.10
07 11 9 921 039	Nut		.10
07 11 9 921 056	Nut	BM6	.16
07 11 9 921 075	Nut	BM8	.20
07 11 9 921 076	Nut	BM8	.20
07 11 9 921 411	Nut	M4	.10
07 11 9 921 605	Nut	8 x 1	.16
07 11 9 921 615	Nut	10 x 1	.20
07 11 9 921 625	Nut	12 x 1.5	.30
07 11 9 921 630	Nut	14 x 1.5	.40
07 11 9 921 631	Nut	14 x 1.5	.40
07 11 9 921 635	Nut	16 x 1.6	.45
07 11 9 921 636	Nut	16 x 1.6	.45
07 11 9 921 725	Nut	M10	.16
07 11 9 922 015	Nut	M3	.10
07 11 9 922 027	Nut	M4	.16
07 11 9 922 035	Nut	M5	.16
07 11 9 922 053	Nut	M6	.16

07 11 9 922 075	Nut M8	.35
07 11 9 922 081	Nut M8	.16
07 11 9 922 083	Nut M8 (left)	.16
07 11 9 922 086	Nut M8	.16
07 11 9 922 093	Nut M8 x 1	.16
07 11 9 922 110	Nut M10	.20
07 11 9 922 122	Nut M10 x 1	.20
07 11 9 922 135	Nut M12	.35
07 11 9 922 147	Nut M12 x 1.5	.30
07 11 9 922 148	Nut M12 x 1.5	.30
07 11 9 922 155	Nut M14 x 1.5	.45
07 11 9 922 410	Nut 5mm	.16
07 11 9 922 417	Nut M6	.30
07 11 9 922 426	Nut M8	.35
07 11 9 922 428	Nut M8	.45
07 11 9 923 231	Nut M8	.30
07 11 9 923 240	Nut M8 x 1	.30
07 11 9 923 255	Nut 10 x 1	.45
07 11 9 923 414	Nut M8	.30
07 11 9 923 420	Nut M8	.30
07 11 9 924 035	Nut M6	.20
07 11 9 924 324	Nut M6	.65
07 11 9 930 065	Spoke Nipple M3.5	.20
07 11 9 930 070	Spoke Nipple M4	.30
07 11 9 930 840	Washer	.10
07 11 9 931 013	Washer 3.2	.10
07 11 9 931 033	Washer 5.3	.10
07 11 9 931 034	Washer 5.3	.10
07 11 9 931 043	Washer 6.4	.10
07 11 9 931 065	Washer 8.4	.10
07 11 9 931 067	Washer 8.4	.10
07 11 9 931 077	Washer 10.5	.16
07 11 9 931 083	Washer 13	.16
07 11 9 931 088	Washer 15	.20
07 11 9 931 650	Washer 6.4	.10
07 11 9 931 656	Washer 8.4	.10
07 11 9 931 665	Washer 10.5	.10
07 11 9 931 668	Washer 10.5	.10
07 11 9 931 687	Washer	.16
07 11 9 931 826	Washer 8	.16
07 11 9 931 835	Washer 11	.20
07 11 9 931 851	Washer 16	.30
07 11 9 932 015	Washer A4	.10
07 11 9 932 019	Washer A4	.10
07 11 9 932 030	Washer B4	.10
07 11 9 932 031	Washer B4	.10
07 11 9 932 040	Washer A5	.10
07 11 9 932 041	Washer A5	.10
07 11 9 932 046	Washer B5	.10

SUGGESTED LIST

07 11 9 932 060	Washer	A6	.10
07 11 9 932 061	Washer	A6	.10
07 11 9 932 062	Washer	A6	.10
07 11 9 932 069	Washer	B6	.10
07 11 9 932 070	Washer	B6	.10
07 11 9 932 072	Washer	B6	.10
07 11 9 932 081	Washer	A8	.10
07 11 9 932 090	Washer	B8	.10
07 11 9 932 094	Washer	B8	.10
07 11 9 932 095	Washer	8 x 15	.10
07 11 9 932 111	Washer	B10	.10
07 11 9 932 131	Washer	B12	.10
07 11 9 932 160	Washer	B16	.16
07 11 9 932 163	Washer		.10
07 11 9 932 608	Shim		.10
07 11 9 932 670	Washer	32 x 45 x 25	.70
07 11 9 932 815	Clip		.10
07 11 9 932 841	Circlip	6	.10
07 11 9 932 881	Washer		.16
07 11 9 933 016	Washer	B3	.10
07 11 9 933 033	Washer	B4	.10
07 11 9 933 035	Washer	B4	.10
07 11 9 933 059	Washer	B5	.10
07 11 9 933 079	Washer	B6	.10
07 11 9 933 082	Washer	B6	.10
07 11 9 933 095	Washer	B8	.10
07 11 9 933 109	Washer	B10	.10
07 11 9 933 449	Circlip	26mm	.16
07 11 9 933 451	Circlip	35	.16
07 11 9 933 640	Circlip	A20	.20
07 11 9 933 642	Circlip	C20	.20
07 11 9 933 653	Circlip	C22	.16
07 11 9 934 035	Circlip	8 x 0.8	.10
07 11 9 934 060	Circlip	12 x 1	.16
07 11 9 934 066	Circlip		.16
07 11 9 934 071	Circlip	14 x 1	.16
07 11 9 934 080	Circlip	15 x 1	.16
07 11 9 934 082	Circlip		.16
07 11 9 934 090	Circlip	16 x 1	.16
07 11 9 934 100	Circlip	17 x 1	.16
07 11 9 934 120	Circlip	18 x 1.2	.20
07 11 9 934 185	Circlip	28 x 1.5	.30
07 11 9 934 186	Circlip	28 x 1.5	.30
07 11 9 934 650	Circlip	32 x 1.2	.40
07 11 9 936 036	Washer	A4	.10
07 11 9 936 041	Washer	4.3	.10
07 11 9 936 111	Washer	5.3	.10
07 11 9 936 136	Washer	6.4	.10
07 11 9 936 206	Washer	8.4	.10
07 11 9 936 226	Washer	10.5	.10
07 11 9 936 245	Washer	12.5	.10

07 11 9 936 413	Washer	.10
07 11 9 936 418	Washer	.10
07 11 9 936 426	Washer 6.4	.10
07 11 9 936 432	Washer	.10
07 11 9 937 281	Cap	.30
07 11 9 940 396	Pin 11 x 22 x 19	.45
07 11 9 941 332	Pin 3 x 18	.15
07 11 9 941 365	Pin 4 x 16	.15
07 11 9 941 372	Pin 4 x 36	.15
07 11 9 941 378	Pin 5 x 20	.15
07 11 9 941 475	Pin 5 x 60	.30
07 11 9 941 485	Pin 6 x 16	.15
07 11 9 941 060	Pin 6 x 12	.15
07 11 9 944 624	Pin	.10
07 11 9 944 650	Nail 4 x 10	.15
07 11 9 945 111	Cotter Pin 2 x 20	.10
07 11 9 945 180	Cotter Pin 3 x 28	.10
07 11 9 945 181	Cotter Pin 3 x 28	.10
07 11 9 945 230	Cotter Pin 4 x 30	.10
07 11 9 945 241	Cotter Pin	.10
07 11 9 947 168	Rivet 5 x 20	.10
07 11 9 947 463	Rivet 4 x 18	.10
07 11 9 951 414	Key 2.5 x 3.7	.15
07 11 9 951 440	Key 3 x 5	.15
07 11 9 951 461	Key 4 x 6.5	.20
07 11 9 951 480	Key 5 x 6.5	.20
07 11 9 960 260	Grease Nipple AM6	.20
07 11 9 960 270	Grease Nipple	.20
07 11 9 960 615	Grease Nipple	.40
07 11 9 963 002	Gasket 3.5 x 6	.20
07 11 9 963 035	Gasket 6 x 10	.10
07 11 9 963 047	Gasket	.15
07 11 9 963 086	Gasket 10 x 14	.20
07 11 9 963 107	Gasket 10 x 16	.10
07 11 9 963 108	Gasket 10 x 16	.10
07 11 9 963 140	Gasket 12 x 15.5	.15
07 11 9 963 213	Gasket 14 x 18	.15
07 11 9 963 242	Gasket 14 x 20	.15
07 11 9 963 259	Gasket 16 x 20	.15
07 11 9 963 310	Gasket 18 x 22	.15
07 11 9 963 385	Gasket 24 x 29	.15
07 11 9 963 420	Gasket 26 x 32	.20
07 11 9 963 470	Gasket	.30
07 11 9 963 489	Gasket 45 x 52 x 2	.20
07 11 9 963 493	Gasket 48 x 55	.40

SUGGESTED LIST

07 11 9 975 260	Cover	.20
07 11 9 975 913	Connector 6 x 2.3	.15
07 11 9 976 330	Spark Plug 240T1	1.15
07 11 9 976 335	Spark Plug 260T1	1.15
07 11 9 976 464	Wire B1.0 x 300	.40
07 11 9 977 203	Clamp 1 x 4	.10
07 11 9 977 621	Connector	.70
07 11 9 977 625	Connector	.75
07 11 9 978 007	Bulb 6V 45/40W	2.10
07 11 9 978 017	Bulb 12V 25W	1.60
07 11 9 978 025	Bulb 12V 45/40W	2.10
07 11 9 978 220	Bulb 6V 5W	.50
07 11 9 978 227	Bulb 12V 5W	.50
07 11 9 978 243	Bulb 6V 2W	.50
07 11 9 978 254	Bulb 12V 2W	.50
07 11 9 978 256	Bulb 12V 4W	.50
07 11 9 978 270	Bulb 6V 12W	.50
07 11 9 978 279	Bulb 12V 2W	.50
07 11 9 978 302	Bulb 6V 18W	.95
07 11 9 978 311	Bulb 12V 18W	.95
07 11 9 978 366	Bulb 6V 25W	1.05
07 11 9 978 370	Bulb 12V	.90
07 11 9 978 381	Bulb 6V 18/5W	1.25
07 11 9 978 384	Bulb 12V 21/5W	1.25
07 11 9 978 396	Bulb 12V 45/40W	3.25
07 11 9 981 041	Bearing 6003	4.25
07 11 9 981 044	Bearing 6004	4.60
07 11 9 981 213	Bearing 6203	4.25
07 11 9 981 214	Bearing	4.25
07 11 9 981 219	Bearing 6204	4.70
07 11 9 981 226	Bearing 6205	5.15
07 11 9 981 233	Bearing 6206	7.60
07 11 9 981 250	Bearing 6207	10.40
07 11 9 981 408	Bearing 6302	4.70
07 11 9 981 416	Bearing 6303	4.60
07 11 9 981 422	Bearing 6304	6.30
07 11 9 981 505	Bearing 6403	9.75
07 11 9 981 722	Bearing 35 x 62 x 9	7.90
07 11 9 981 751	Bearing 16012	15.90
07 11 9 981 760	Bearing 16013	18.50
07 11 9 982 409	Bearing 3203	13.75
07 11 9 982 460	Bearing 3303	16.05
07 11 9 982 468	Bearing 3304	18.50
07 11 9 983 107	Bearing 1303	8.15
07 11 9 983 301	Bearing	27.75
07 11 9 985 005	Bearing 30203	9.75
07 11 9 985 010	Bearing 30204	9.75
07 11 9 985 070	Bearing	10.75

SUGGESTED LIST

07 11 9 986 240	Ball 4mm	.10
07 11 9 986 255	Ball 5.5mm	.12
07 11 9 986 280	Ball 8mm	.20
07 11 9 987 611	Lock S10	.25
07 11 9 988 819	Gas Line Yard	3.50
07 11 9 999 106	Wrench	
07 11 9 999 111	Spanner 8 x 10	1.60
07 11 9 999 119	Spanner 12 x 1.4	1.90
07 11 9 999 122	Spanner 13 x 17	1.90
07 12 9 903 326	Stud 8 x 25	.75
07 12 9 922 719	Nut	.45
07 12 9 926 304	Clip	.10
07 12 9 934 317	Clip	.20
07 12 9 934 331	Clip	.40
07 12 9 934 954	E.S. Pin	.75
07 12 9 948 811	Boot Clamp	.75
07 12 9 948 812	Boot Clamp	.75
07 12 9 948 855	Boot Clamp	.55
07 12 9 952 022	Boot Clamp	.55
07 12 9 952 048	Boot Clamp	.75
07 12 9 952 060	Boot Clamp	.75
07 12 9 952 070	Boot Clamp	.75
07 12 9 952 090	Boot Clamp	.85

SUGGESTED LIST

11 00 0 000 035	Engine R 69S	1,279.00
11 00 1 253 416	Engine R 50/5	1,183.00
11 00 1 253 417	Engine R 60/5	1,283.00
11 00 1 253 418	Engine R 75/5	1,392.00
11 00 1 255 023	Gasket Set /5 /6	18.00
11 00 1 260 318	Engine R 90/6	
11 00 1 260 319	Engine R 90S	
11 00 9 090 163	Gasket Set R27	19.50
11 00 9 090 213	Gasket Set R26	17.00
11 00 9 090 267	Gasket Set R50 /R60	28.50
11 00 9 090 272	Gasket Set R50S /R69S	28.50
11 11 0 001 008	Engine Housing R26	165.50
11 11 0 001 009	Engine Housing R27	165.50
11 11 0 001 032	Engine Housing R50 to 69S 1961 on	298.00
11 11 0 001 100	Seal R25 to R25/3	3.15
11 11 0 001 104	Nut	.50
11 11 0 001 105	Plug	.50
11 11 0 001 106	Plug White	.50
11 11 0 001 106	Plug Black 1973	.50
11 11 0 001 110	Plug	.30
11 11 0 001 112	Bushing R25 to R27	3.00
11 11 0 001 116	Oil Strainer R25 to R27	1.20
11 11 0 001 122	Seal 51/3 to R69S	4.85
11 11 0 001 158	Bushing R50 to R69S	2.10
11 11 0 001 162	Bear.Flange Twins to 1960	28.00
11 11 0 001 163	Bear.Flange Twins 1961 on	28.50
11 11 0 001 164	Gasket	.50
11 11 0 001 177	Stud	1.65
11 11 0 001 180	Stud	1.35
11 11 0 001 182	Stud	1.35
11 11 0 001 184	Stud	1.10
11 11 0 001 188	Bushing Twins to 1960	4.60
11 11 0 001 189	Bushing Twins 1961 on	4.85
11 11 0 001 190	Bushing R68 R69	5.05
11 11 0 002 011	Timing Cover R27	77.50
11 11 0 002 034	Bear. Retainer	62.00
11 11 0 002 104	Flange R25 to R27	37.75
11 11 0 002 110	Seal R25 to R27	3.75
11 11 0 002 114	Gasket R25 to R27	.65
11 11 0 002 116	Gasket R27	.30
11 11 0 002 117	Gen. Cover R27	12.95
11 11 0 002 120	Stud R27	.95
11 11 0 002 122	Point Cover R27	3.75
11 11 0 002 123	Gasket R27	.30
11 11 0 002 124	Flange	6.05
11 11 0 002 127	Seal Holder R27	4.50
11 11 0 002 128	Gasket R27	.20
11 11 0 002 129	Seal R27	3.10
11 11 0 002 156	Flange Twins to 1960	22.00
11 11 0 002 172	Gasket Twins to 1970	.80

SUGGESTED LIST

11 11 0 002 174	Flange All Twins 1961 on	7.75
11 11 0 002 176	Flange R50 R60	7.75
11 11 0 002 195	Nut	2.10
11 11 0 010 006	Cylinder R25 to R25/3	72.50
11 11 0 010 011	Cylinder R26 R27	72.50
11 11 0 010 025	Cylinder R51/2	72.50
11 11 0 010 027	Cylinder R50 R51/3	68.50
11 11 0 010 031	Cylinder R60 R60/2 R67	85.40
11 11 0 010 034	Cylinder R69 R69S R68	85.40
11 11 0 010 108	Base Gasket All Singles	.60
11 11 0 010 110	Cylinder Tube R26 R27	3.45
11 11 0 010 151	Cylinder Tube R50 R50S R51/3	4.15
11 11 0 010 152	Cylinder Tube R60 R60/2 R67	4.15
11 11 0 010 153	Cylinder Tube R69 R69S R68	4.15
11 11 0 010 161	Base Gasket All Twins	1.10
11 11 0 033 114	Pushrod Seal All Singles	1.10
11 11 0 033 163	Pushrod Seal All Twins	1.65
11 11 1 250 155	Insert	14.20
11 11 1 250 156	Pin	.50
11 11 1 250 157	Retainer	1.05
11 11 1 250 158	Tube	4.85
11 11 1 250 159	Spring	.30
11 11 1 250 167	Thrust Washer	9.95
11 11 1 250 188	Set Screw	.40
11 11 1 250 189	Housing	3.75
11 11 1 250 214	Tube	4.85
11 11 1 251 224	Valve	5.95
11 11 1 251 228	Spring	.20
11 11 1 251 229	Disc	.30
11 11 1 251 309	Bolt	5.15
11 11 1 251 383	Cylinder R75/5	95.00
11 11 1 251 386	Cylinder R90/6	
11 11 1 251 433	Stud	2.30
11 11 1 251 437	Engine Housing /5	322.00
11 11 1 252 310	Stud	2.35
11 11 1 252 769	Thrustwasher Blue	12.95
11 11 1 252 770	Thrustwasher Green	12.95
11 11 1 252 787	Thrustwasher Yellow	12.95
11 11 1 253 184	Stud	.80
11 11 1 253 243	Nut	1.00
11 11 1 254 788	Insert Red 0.25	21.50
11 11 1 254 789	Insert Red 0.50	21.50
11 11 1 255 001	Base Gasket	1.60
11 11 1 255 013	Seal	7.25
11 11 1 255 017	Cylinder R60/5	93.00
11 11 1 255 020	Cylinder R50/5	93.00

SUGGESTED LIST

11 11 1 255 285	Bushing Blue	15.25
11 11 1 255 286	Insert Blue 0.25	21.50
11 11 1 255 287	Insert Blue 0.50	21.50
11 11 1 255 288	Insert Red 0.75	21.50
11 11 1 255 289	Insert Blue 0.75	21.50
11 11 1 255 467	Plug Use 11 11 1 257 121	
11 11 1 255 797	Nut	
11 11 1 255 943	Cover Use 11 11 1 259 593	
11 11 1 255 944	Cover	52.00
11 11 1 256 561	Breather	5.95
11 11 1 256 973	Thrustwasher Red	12.95
11 11 1 256 974	Thrustwasher Blue	12.95
11 11 1 256 975	Thrustwasher Green	12.95
11 11 1 256 976	Thrustwasher Yellow	12.95
11 11 1 257 094	Engine Housing 75/5	
11 11 1 257 121	Plug	1.85
11 11 1 257 397	Stud	2.05
11 11 1 258 311	Pin	
11 11 1 259 077	Plug	
11 11 1 259 469	Gen. Cover	
11 11 1 259 620	Spacer Tube	
11 11 1 259 593	Cover	27.50
11 11 1 259 665	Engine Housing /6	
11 12 0 021 010	Cylinder Head R26 R27	128.00
11 12 0 021 023	Cylinder Head Right R50S	112.00
11 12 0 021 024	Cylinder Head Left R50S	112.00
11 12 0 021 031	Cylinder Head Right R69 69S 68	167.00
11 12 0 021 032	Cylinder Head Left R69 69S 68	167.00
11 12 0 021 041	Cylinder Head Right R50 R60	115.00
11 12 0 021 042	Cylinder Head Left R50 R60	115.00
11 12 0 021 100	Stud	1.30
11 12 0 021 104	Guide	4.30
11 12 0 021 106	Guide	4.30
11 12 0 021 107	Guide	4.30
11 12 0 021 110	Use 11 12 1 256 024	
11 12 0 021 114	Valve Seat Intake	4.05
11 12 0 021 115	Use 11 12 1 256 020	
11 12 0 021 116	Retainer	.30
11 12 0 021 118	Retainer	.30
11 12 0 021 119	Washer	.30
11 12 0 021 122	Valve Seat Intake 69S	4.05
11 12 0 021 123	Valve Seat Exhaust 69S	7.15
11 12 0 021 124	Valve Seat +04 Exhaust R69S	7.15
11 12 0 021 125	Valve Intake +04 R69S	4.05
11 12 0 021 127	Valve Guide R68 to R69S	4.25
11 12 0 021 128	Valve Guide +01 R68 to R69S	4.25
11 12 0 021 136	Head Bolt	2.05
11 12 0 021 144	Cover Gasket R25 to R26	1.00
11 12 0 021 154	Clamp All Singles	3.75
11 12 0 021 156	Nut All Singles	1.00
11 12 0 021 720	Ex-Valve Guide R50S	4.20
11 12 0 021 721	Ex-Valve +01 Guide R50S	4.20
11 12 0 021 722	Ex-Valve +02 Guide R50S	4.20
11 12 0 021 723	Ex-Valve +03 Guide R50S	4.20

SUGGESTED LIST

11 12 0 021 750	Intake V-Seat 0.2 R60/5	4.20
11 12 0 021 751	Intake V-Seat 0.4 R60/5	4.20
11 12 0 021 814	Valve Guide Std.	4.40
11 12 0 021 816	Valve Guide +01	4.40
11 12 0 021 817	Valve Guide +02	4.40
11 12 0 021 818	Valve Guide +03	4.40
11 12 0 021 830	Sleeve	4.30
11 12 0 021 832	Sleeve	3.95
11 12 0 022 104	Head Gasket R25 to R25/3	2.60
11 12 0 022 108	Head Bolt R68 to R69S	3.75
11 12 0 022 109	Head Bolt R68 to R69S	3.05
11 12 0 022 112	Head Bushing R50 R60	3.75
11 12 0 022 113	Head Bushing R50 R60	5.05
11 12 0 022 114	Head Bushing R68 to R69S	3.90
11 12 0 022 115	Head Bushing R50 R60	5.05
11 12 0 022 118	Head Gasket R50 R60	1.50
11 12 0 022 166	Washer	.60
11 12 0 022 168	Head Gasket R68 to R69S	1.75
11 12 0 023 024	Use 11 12 0 023 025	
11 12 0 023 025	Rocker Cover R50 R60	19.50
11 12 0 023 027	Rocker Cover R68 to R69S	23.50
11 12 0 023 115	Rocker Cover Singles R51/2	9.30
11 12 0 023 150	Rocker Cover Gasket	1.45
11 12 0 023 152	Rocker Cover Gasket R68 to R69S	1.55
11 12 0 023 160	Cap Nut	2.40
11 12 1 250 221	Cylinder Head Right R75/5	155.00
11 12 1 250 224	Cylinder Head Left R75/5	155.00
11 12 1 250 227	Intake Manifold R75/5	4.05
11 12 1 250 232	Oil Return Tube	2.10
11 12 1 250 237	Support	4.70
11 12 1 250 240	Rocker Cover	20.50
11 12 1 250 268	Valve Guide 14.1	4.20
11 12 1 251 253	Int.Valve Seat +0.6 R60/5	3.75
11 12 1 251 254	Ex. Valve Seat +0.6 R60/5	4.05
11 12 1 251 304	Nut	.40
11 12 1 251 590	Cylinder Head Right R60/5	149.50
11 12 1 251 593	Cylinder Head Left R60/5	149.50
11 12 1 251 598	Intake Manifold R50/5 R60/5	3.30
11 12 1 253 155	Cylinder Head Right R50/5	149.50
11 12 1 253 158	Cylinder Head Left R50/5	149.50
11 12 1 253 700	Use 11 12 1 256 025	
11 12 1 253 754	Head Gasket	2.60
11 12 1 254 126	Valve Seat +0.2 R50/5	3.75
11 12 1 254 839	Sleeve	3.90
11 12 1 254 840	Spacer	.70
11 12 1 255 167	Seal	.60
11 12 1 255 295	Valve Guide 14.2	4.20

SUGGESTED LIST

11 12 1 256 004	Int.Valve Seat 43.4 R75/5	7.60
11 12 1 256 006	Int.Valve Seat 43.6 R75/5	7.60
11 12 1 256 009	Exh.Valve Seat 43.4 R75/5	7.60
11 12 1 256 010	Exh.Valve Seat 43.6 R75/5	7.60
11 12 1 256 020	Int.Valve Seat 36.6 R50/5	7.60
11 12 1 256 024	Exh.Valve Seat 36.4	7.60
11 12 1 256 025	Exh.Valve Seat 36.6	7.60
11 12 1 256 026	Exh.Valve Seat 39.4 R60/5	7.60
11 12 1 256 027	Exh.Valve Seat +04	7.60
11 12 1 257 396	Intake Manifold R75/5	4.30
11 12 1 257 928	Support R90/6 R90S	4.70
11 12 1 258 301	Cylinder Head Right R90/6	165.00
11 12 1 258 302	Cylinder Head Left R90/6	165.00
11 12 1 258 303	Exh.Valve Seat +0.2 /6	7.70
11 12 1 258 304	Exh.Valve Seat +0.4 /6	7.70
11 12 1 259 819	Intake Manifold R90S	
11 13 0 007 029	Oil Pan All Twins	18.50
11 13 0 007 100	Oil Pan Gasket All Singles	1.30
11 13 0 007 104	Oil Plug	1.80
11 13 0 007 106	Oil Plug +0.1	1.90
11 13 0 007 156	Oil Pan Gasket All Twins	1.65
11 13 0 007 160	Oil Plug +0.1	3.10
11 13 0 007 162	Oil Plug	3.15
11 13 0 007 163	Oil Plug	3.10
11 13 1 250 180	Oil Pan Gasket /5	2.65
11 13 1 251 295	Oil Pan /5	19.50
11 14 0 002 030	Timing Cover /2	67.00
11 14 0 002 152	Cover All Twins	6.75
11 14 0 002 170	Cover	6.20
11 14 0 002 171	Gasket	.50
11 14 0 002 177	Gen.Cover	45.00
11 14 0 002 178	Gen.Cover	45.00
11 14 0 002 187	Gen.Cover	45.00
11 14 0 002 191	Nut	1.10
11 14 0 002 196	Seal for Generator	2.05
11 14 0 002 197	Seal	2.10
11 14 0 002 199	Seal	2.20
11 14 1 250 168	Cover	82.30
11 14 1 250 172	Gasket	.95
11 14 1 252 311	Nut	1.75
11 14 1 253 245	Bracket	.80
11 14 1 253 415	Protector	1.45
11 14 1 253 746	Cover	13.50
11 14 1 253 782	Sleeve	4.75
11 14 1 253 871	Screen	.55

SUGGESTED LIST

11 14 1 254 398	Clip	.20
11 14 1 254 427	Gasket	.10
11 14 1 254 826	O Ring	1.00
11 14 1 255 006	Alternator Cover	49.00
11 14 1 255 011	Seal	2.90
11 14 1 255 793	Cover	6.75
11 14 1 255 794	Use 11 14 1 256 971	
11 14 1 256 562	Magneto Seal R51/3 to R69S	3.05
11 14 1 256 708	Seal	
11 14 1 256 847	Seal	3.05
11 14 1 256 971	Clip	1.40
11 14 1 258 450	Clip	
11 14 1 259 365	Starter Cover /6	13.50
11 14 1 259 469	Alternator Cover /6	54.00
11 15 0 001 114	Breather Pipe Singles	3.05
11 15 0 002 166	Breather Pipe Twins	4.50
11 15 0 031 107	Breather R27	13.55
11 15 0 031 152	Spring	2.40
11 15 0 031 164	Washer	.95
11 15 0 031 168	Breather	11.75
11 15 0 031 171	Breather	15.50
11 15 0 043 136	Clip	.60
11 15 0 043 140	Filter	5.50
11 15 1 252 731	Breather Housing	7.95
11 15 1 252 733	Gasket	.50
11 15 1 255 146	Breather Hose	1.95
11 21 0 016 002	Crankshaft R25 to R25/3	132.00
11 21 0 016 003	Crankshaft R26	132.00
11 21 0 016 020	Crankshaft R27	132.00
11 21 0 016 027	Crankshaft R51/3	195.00
11 21 0 016 035	Crankshaft R68 R69	226.00
11 21 0 016 039	Crankshaft R50 1955 to 1960	218.00
11 21 0 016 045	Crankshaft R60 1955 to 1960	218.00
11 21 0 016 060	Crankshaft R50/2 1960 on	218.00
11 21 0 016 062	Crankshaft R60/2 1960 on	232.00
11 21 0 016 065	Crankshaft R50S	232.00
11 21 0 016 066	Crankshaft R69S	262.00
11 21 0 016 108	Crankpin R25 to R25/3	15.50
11 21 0 016 112	Oil Slinger R25 to R25/3	3.50
11 21 0 016 114	Spacer R25 to R25/3	1.50
11 21 0 016 116	Spacer R25 to R25/3	1.50
11 21 0 016 119	Oil Slinger R26 R27	3.50
11 21 0 016 120	Washer R25 to R27	.50
11 21 0 016 122	Nut R25 to R27	2.95
11 21 0 016 124	Washer	.20

SUGGESTED LIST

11 21 0 016 125	Cage R26 R50 R50/2	12.50
11 21 0 016 128	Cage	14.50
11 21 0 016 130	Washer	.20
11 21 0 016 132	Key	.60
11 21 0 016 201	Shim	.50
11 21 0 016 212	Spacer	1.50
11 21 0 016 216	Oil Slinger 500cc to 1960	3.50
11 21 0 016 217	Oil Slinger R67 R60 to 1960	3.50
11 21 0 016 219	Oil Slinger R50/2 R50S	3.50
11 21 0 016 221	Oil Slinger R60/2 R69S	3.50
11 21 0 016 224	Lock Twins to 1954	.90
11 21 0 016 225	Lock Twins 1955 on	.90
11 21 0 016 231	Crank Pin R68 R69	18.50
11 21 0 016 233	Crank Pin R67 R60 to 1960	18.00
11 21 0 016 234	Crank Pin R51/3 R50 to 1960	18.00
11 21 0 016 235	Use 11 21 0 016 241	
11 21 0 016 240	Washer	.40
11 21 0 016 241	Crank Pin R50/2	17.50
11 21 0 016 243	Crank Pin R60/2 R69S	18.00
11 21 0 016 244	Retainer	.60
11 21 0 016 252	Oil Shim	.95
11 21 0 016 262	Crank Pin R50/2	18.00
11 21 0 016 263	Crank Pin R60/2 R69S	18.50
11 21 0 016 264	Plug	4.20
11 21 0 016 266	Washer	1.10
11 21 0 016 268	Washer	1.65
11 21 0 016 500	Sprocket R26 R27	11.50
11 21 0 016 551	Crank Pin R26 R27	15.50
11 21 0 017 002	Conn.Rod R25 to R25/3	29.50
11 21 1 250 190	Crankshaft	230.00
11 21 1 250 198	Pinion	14.45
11 21 1 255 290	Crankshaft	245.00
11 21 1 258 251	Crankshaft R75/5 R75/6	
11 21 1 259 856	Crankshaft R90/6 R90S	
11 22 0 016 251	Bolt	6.50
11 22 0 016 504	Lock	.45
11 22 0 016 759	Bolt	.70
11 22 0 068 002	Flywheel R25/3	45.00
11 22 0 068 028	Flywheel R51/3 R67	75.00
11 22 0 068 037	Use 11 22 0 068 038	
11 22 0 068 038	Flywheel R50 to R69S	65.00
11 22 0 068 051	Flywheel R26 R27	45.00
11 22 1 251 732	Flywheel /5	75.00
11 22 1 256 966	Flywheel /5	75.00
11 23 0 070 140	Vibr.Damper Cpl. R69S	21.00
11 23 0 070 141	Vibr.Damper 12 Volt R69S	21.00
11 23 0 070 142	Hub	4.80
11 23 0 070 143	Spacer	1.15
11 23 0 070 145	Bolt 6 Volt R69S	6.95

11 23 0 070 146	Backplate	3.25
11 23 0 070 148	Bolt 12 Volt R69S	3.90
11 23 0 070 703	Damper Mass	6.95
11 23 0 070 709	Damper Rubber	1.60
11 23 0 070 710	Washer	.95
11 24 0 016 162	Roller +0.01	.45
11 24 0 016 163	Roller +0.02	.45
11 24 0 016 164	Roller +0.03	.45
11 24 0 016 166	Roller +0.05	.45
11 24 0 016 183	Roller Std.	.45
11 24 0 016 185	Roller +0.4	.45
11 24 0 016 186	Roller +0.6	.45
11 24 0 016 187	Roller +0.8	.45
11 24 0 016 821	Roller 4.994	.35
11 24 0 016 822	Roller 4.996	.35
11 24 0 016 823	Roller 4.998	.35
11 24 0 016 824	Roller 5mm	.35
11 24 0 016 826	Roller 5.002	.35
11 24 0 016 827	Roller 5.004	.35
11 24 0 016 835	Roller 5.010	.35
11 24 0 016 836	Roller 5.020	.35
11 24 0 016 845	Roller +0.6	.35
11 24 0 016 846	Roller +0.8	.35
11 24 0 017 025	Conn.Rod R51/2	31.00
11 24 0 017 008	Conn.Rod R27	29.50
11 24 0 017 027	Conn.Rod R51/3	32.00
11 24 0 017 029	Conn.Rod R67	33.00
11 24 0 017 032	Conn.Rod R60/2 R69S	33.50
11 24 0 017 052	Conn.Rod R26 R50 R50/2	29.50
11 24 0 017 102	Conn.Rod Bushing 18mm	2.45
11 24 0 017 150	Use 11 24 1 327 167	
11 24 0 017 158	Cage	16.10
11 24 0 017 701	Conn.Rod R60/2 #622 991 on	33.50
11 24 0 017 720	Cage R60/2 R69S	11.50
11 24 0 618 100	Bushing	1.45
11 24 1 250 193	Conn.Rod	37.00
11 24 1 250 196	Conn.Rod Bolt	1.95
11 24 1 250 197	Rod Insert	2.95
11 24 1 251 052	Rod Insert -0.25	3.95
11 24 1 251 053	Rod Insert -0.50	4.05
11 24 1 254 819	Pin	.10
11 24 1 255 294	Rod Insert	4.05
11 24 1 258 402	Conn.Rod R90/6 R90S	38.25
11 24 1 258 419	Rod Insert 0.25	2.95
11 24 1 258 420	Rod Insert 0.50	2.95
11 24 1 258 421	Rod Insert 0.75	2.95
11 24 1 258 460	Rod Insert Std.	2.95

11 24 1 327 167	Bushing 20mm	2.50
11 25 0 012 112	Piston Std. R26	31.00
11 25 0 012 116	Piston +05 R26	31.00
11 25 0 012 120	Piston +1mm R26	31.00
11 25 0 012 124	Piston Std. R27	35.35
11 25 0 012 127	Piston +05 R27	35.35
11 25 0 012 131	Piston +1mm R27	35.35
11 25 0 012 203	Piston Std. R51/3	35.35
11 25 0 012 206	Piston +05 R51/3	35.35
11 25 0 012 209	Piston +1mm R51/3	35.35
11 25 0 012 229	Piston Std. R60	35.35
11 25 0 012 230	Piston +05 R60	35.35
11 25 0 012 233	Piston +1mm R60	35.35
11 25 0 012 238	Piston Std. R50 R50/2	35.45
11 25 0 012 250	Piston Std. R50S	35.45
11 25 0 012 252	Piston +05 R50S	35.45
11 25 0 012 255	Piston +1mm R50S	35.45
11 25 0 012 258	Piston Std. R60/2 #622001 to 990	35.45
11 25 0 012 262	Piston +05 R60/2 #622001 to 990	35.45
11 25 0 012 264	Piston +1mm R60/2 #622001 to 990	35.45
11 25 0 012 267	Piston Std. R60/2 622 991 on	36.45
11 25 0 012 270	Piston +05 R60/2 622 991 on	36.45
11 25 0 012 273	Piston +1mm R60/2 622 991 on	36.45
11 25 0 012 276	Piston Std. R68 R69 R69S	36.85
11 25 0 012 279	Piston +05 R68 R69 R69S	36.85
11 25 0 012 282	Piston +1mm R68 R69 R69S	36.85
11 25 0 012 295	Piston +05 R50 R50/2	35.45
11 25 0 012 297	Piston +1 R50 R50/2	35.45
11 25 0 012 520	Piston Std. R25 to R25/3	35.35
11 25 0 012 525	Piston +05 R25 to R25/3	35.35
11 25 0 012 530	Piston +1mm R25 to R25/3	35.35
11 25 0 014 102	Piston Ring	1.95
11 25 0 014 104	Piston Ring	2.75
11 25 0 014 106	Piston Ring	1.60
11 25 0 014 108	Piston Ring	1.60
11 25 0 014 110	Piston Ring	1.60
11 25 0 014 114	Piston Ring	1.60
11 25 0 014 330	Piston Ring	6.50
11 25 0 014 335	Piston Ring	6.50
11 25 0 712 199	Wrist Pin R90/6 R90S	
11 25 1 250 326	Piston Ring	6.50
11 25 1 250 327	Piston Ring	6.50
11 25 1 250 328	Piston Ring	6.50
11 25 1 250 329	Piston Ring	6.50
11 25 1 251 585	Piston Std. R60/5	35.35

SUGGESTED LIST

11 25 1 252 800	Piston Ring Std. R90/6 R90S	
11 25 1 252 801	Piston Ring Std. R90/6 R90S	
11 25 1 252 802	Piston Ring Std. R90/6 R90S	
11 25 1 252 803	Piston Ring Std. R75/5	6.50
11 25 1 252 804	Piston Ring Std. R75/5	2.20
11 25 1 252 805	Piston Ring Std. R75/5	2.75
11 25 1 252 806	Piston Ring Std. R60/5	6.60
11 25 1 252 807	Piston Ring Std. R60/5	1.95
11 25 1 252 808	Piston Ring Std. R60/5	2.70
11 25 1 253 152	Piston Std. R50/5	35.35
11 25 1 253 153	Piston Std. R50/5	35.35
11 25 1 253 154	Piston Std. R50/5	35.35
11 25 1 253 161	Piston Std. R75/5	36.85
11 25 1 253 162	Piston Std. R75/5	36.85
11 25 1 253 163	Piston +05 R75/5	36.85
11 25 1 253 164	Piston +05 R75/5	36.85
11 25 1 253 165	Piston +05 R75/5	36.85
11 25 1 253 166	Piston +1mm R75/5	36.85
11 25 1 253 167	Piston +1mm R75/5	36.85
11 25 1 253 168	Piston +1mm R75/5	36.85
11 25 1 253 170	Wrist Pin R75/5	6.60
11 25 1 253 171	Piston Ring +05 R75/5	6.50
11 25 1 253 172	Piston Ring +05 R75/5	2.20
11 25 1 253 173	Piston Ring +05 R75/5	2.75
11 25 1 253 174	Piston Ring +1mm R75/5	6.50
11 25 1 253 175	Piston Ring +1mm R75/5	2.20
11 25 1 253 176	Piston Ring +1mm R75/5	2.75
11 25 1 253 192	Piston Ring +05 R90/6 R90S	
11 25 1 253 193	Piston Ring +05 R90/6 R90S	
11 25 1 253 194	Piston Ring +05 R90/6 R90S	
11 25 1 253 195	Piston Ring +1mm R90/6 R90S	
11 25 1 253 196	Piston Ring +1mm R90/6 R90S	
11 25 1 253 197	Piston Ring +1mm R90/6 R90S	
11 25 1 253 948	Piston Std. R60/5	35.35
11 25 1 253 949	Piston Std. R60/5	35.35
11 25 1 253 950	Piston +05 R60/5	35.35
11 25 1 253 951	Piston +05 R60/5	35.35
11 25 1 253 952	Piston +05 R60/5	35.35
11 25 1 253 953	Piston +1mm R60/5	35.35
11 25 1 253 954	Piston +1mm R60/5	35.35
11 25 1 253 955	Piston +1mm R60/5	35.35
11 25 1 254 053	Piston +05 R50/5	35.35
11 25 1 254 054	Piston +05 R50/5	35.35
11 25 1 254 055	Piston +05 R50/5	35.35
11 25 1 254 056	Piston +1mm R50/5	35.35
11 25 1 254 057	Piston +1mm R50/5	35.35
11 25 1 254 333	Wrist Pin R50/5	6.60
11 25 1 254 334	Top Ring Std. R50/5	6.60
11 25 1 254 335	Top Ring +05 R50/5	6.60
11 25 1 254 336	Top Ring +1mm R50/5	6.60
11 25 1 254 337	Nose Ring Std. R50/5	1.95
11 25 1 254 338	Nose Ring +05 R50/5	1.95
11 25 1 254 339	Nose Ring +1mm R50/5	1.95

SUGGESTED LIST

11 25 1 254 340	Oil Ring Std. R50/5	2.70
11 25 1 254 341	Oil Ring +05 R50/5	2.70
11 25 1 254 342	Oil Ring +1mm R50/5	2.70
11 25 1 254 362	Top Ring +05 R60/5	6.60
11 25 1 254 363	Top Ring +1mm R60/5	6.60
11 25 1 254 364	Nose Ring +05 R60/5	1.95
11 25 1 254 365	Nose Ring +1mm R60/5	1.95
11 25 1 254 366	Oil Ring +05 R60/5	2.70
11 25 1 254 367	Oil Ring +1mm R60/5	2.70
11 25 1 255 550	Piston Std. 89. 965 R90/6	43.00
11 25 1 255 555	Piston Std. 89. 975 R90/6	43.00
11 25 1 255 556	Piston Std. 89. 985 R90/6	43.00
11 25 1 255 559	Piston Std. 81. 965	42.00
11 25 1 255 560	Piston Std. 81. 975	42.00
11 25 1 255 561	Piston Std. 81. 985	42.00
11 25 1 256 470	Ring Set Std. R50/5	24.00
11 25 1 256 471	Ring Set +05 R50/5	24.00
11 25 1 256 472	Ring Set +1mm R50/5	24.00
11 25 1 256 473	Ring Set Std. R60/5	24.00
11 25 1 256 474	Ring Set +05 R60/5	24.00
11 25 1 256 475	Ring Set +1mm R60/5	24.00
11 25 1 256 477	Ring Set Std. R75/5	24.50
11 25 1 256 478	Ring Set +05 R75/5	24.50
11 25 1 256 479	Ring Set +1mm R75/5	24.50
11 25 1 256 482	Ring Set Std. R50/2 R50S	25.50
11 25 1 256 483	Ring Set +05 R50/2 R50S	25.50
11 25 1 256 484	Ring Set +1mm R50/2 R50S	25.50
11 25 1 256 485	Ring Set Std. R60/2 R69S	25.50
11 25 1 256 486	Ring Set +05 R60/2 R69S	25.50
11 25 1 256 487	Ring Set +1mm R60/2 R69S	25.50
11 25 1 257 078	Wrist Pin	6.60
11 25 1 258 062	Piston 82. 215	42.00
11 25 1 258 065	Piston Ring	6.50
11 25 1 258 066	Piston Ring	2.20
11 25 1 258 067	Piston Ring	2.75
11 25 1 258 293	Piston +05 R90/6	43.00
11 25 1 258 294	Piston +05 90. 475	43.00
11 25 1 258 295	Piston +05 90. 485	43.00
11 25 1 258 296	Piston +1mm 90. 965	43.00
11 25 1 258 297	Piston +1mm 90. 975	43.00
11 25 1 258 298	Piston +1mm 90. 985	43.00
11 25 1 258 462	Piston Std. R27	35.35
11 25 1 258 466	Piston +05 R27	35.35
11 25 1 258 471	Piston Std. R50/ R50/2	35.45
11 25 1 258 474	Piston +05 R50 R50/2	35.45
11 25 1 258 476	Piston +1mm R50 R50/2	35.45
11 25 1 258 482	Piston +05 R50S	35.45
11 25 1 258 485	Piston +1mm R50S	35.45
11 25 1 258 490	Piston Std. R60	35.45
11 25 1 258 491	Piston +05 R60	35.45
11 25 1 258 494	Piston +1mm R60	35.45
11 25 1 258 499	Piston +05 R60/2 #622001 to 990	35.45
11 25 1 258 804	Piston Std. R60/2 #622 991 on	36.45

SUGGESTED LIST

11 25 1 258 807	Piston +05 R60/2 #622 991 on	36.45
11 25 1 258 810	Piston +1mm R60/2 #622 991 on	36.45
11 25 1 258 817	Piston Std. R68 R69 R69S	36.85
11 25 1 258 820	Piston +05 R68 R69 R69S	36.85
11 25 1 258 823	Piston +1mm R68 R69 R69S	36.85
11 25 1 259 853	Ring Set Std. R90/6	25.00
11 25 1 259 854	Ring Set +05 R90/6	25.00
11 25 1 259 855	Ring Set +1mm R90/6	25.00
11 31 0 016 380	Gear Set -9	49.00
11 31 0 016 381	Gear Set -8	49.00
11 31 0 016 382	Gear Set -7	49.00
11 31 0 016 383	Gear Set -6	49.00
11 31 0 016 384	Gear Set -5	49.00
11 31 0 016 385	Gear Set -4	49.00
11 31 0 016 386	Gear Set -3	49.00
11 31 0 016 387	Gear Set -2	49.00
11 31 0 016 388	Gear Set -1	49.00
11 31 0 016 389	Gear Set 0	49.00
11 31 0 016 390	Gear Set +1	49.00
11 31 0 016 391	Gear Set +2	49.00
11 31 0 016 392	Gear Set +3	49.00
11 31 0 016 393	Gear Set +4	49.00
11 31 0 016 394	Gear Set +5	49.00
11 31 0 016 395	Gear Set +6	49.00
11 31 0 016 396	Gear Set +7	49.00
11 31 0 016 397	Gear Set +8	49.00
11 31 0 016 398	Gear Set +9	49.00
11 31 0 030 100	Flange R26 R27	8.90
11 31 0 030 102	Clip	.50
11 31 0 030 104	Screw	.25
11 31 0 030 150	Race R68 R69 R69S	11.90
11 31 0 031 000	Camshaft R25 to R26	35.00
11 31 0 031 004	Camshaft R27	39.50
11 31 0 031 027	Camshaft R50 R60 to 1960	41.50
11 31 0 031 028	Camshaft R50/2 R60/2 1961 on	41.50
11 31 0 031 029	Camshaft R68 R69	43.50
11 31 0 031 030	Camshaft R50S R69S	43.50
11 31 0 031 104	Breather Bolt	3.10
11 31 0 031 172	Spring Washer	.25
11 31 0 031 707	Washer	.25
11 31 0 032 100	Timing Chain Red Singles	5.30
11 31 0 032 102	Sprocket	20.00
11 31 0 032 105	Timing Chain Blue Singles	5.30
11 31 0 032 107	Timing Chain Green Singles	5.30
11 31 0 032 110	Chain Tensioner R27	3.50
11 31 0 032 115	Chain Link	.90
11 31 0 032 535	Spring R27	.95
11 31 0 032 538	Bolt R27	1.85
11 31 0 032 550	Timing Chain R27	5.30
11 31 1 250 186	Bushing	3.10
11 31 1 250 187	Tacko Drive Gear	12.50

SUGGESTED LIST

11 31 1 250 247	Camshaft R75/5	49.50
11 31 1 250 251	Bearing	11.95
11 31 1 250 253	Gear	27.50
11 31 1 250 258	Timing Chain /5 - /6	13.50
11 31 1 251 346	Rocker Arm Shart /5	7.80
11 31 1 253 185	Chain Tensioner	3.90
11 31 1 253 188	Chain Tensioner Spring	.75
11 31 1 254 217	Camshaft R50/5 R60/5	49.50
11 31 1 256 860	Seal	2.65
11 31 1 256 928	Washer	.65
11 31 1 258 053	Sport Cam	54.00
11 31 1 259 262	Camshaft Late R60/5 R60/6	49.50
11 31 1 259 264	Camshaft All /6	49.50
11 31 1 259 738	Bushing f.Tacko Drive /6	3.10
11 32 0 033 004	Pushrod R68 R69 R69S	10.50
11 32 0 033 120	Pushrod R25 to R25/3	5.70
11 32 0 033 122	Pushrod R26 R27	5.70
11 32 0 033 127	Cam Follower R51/3 to R60/2	7.75
11 32 0 033 128	Cam Follower R51/3 to R60/2	7.75
11 32 0 033 129	Cam Follower R51/3 to R60/2	7.75
11 32 0 033 157	Cam Follower R68 R69 R69S	11.50
11 32 0 033 158	Cam Follower R68 R69 R69S	11.50
11 32 0 033 159	Cam Follower R68 R69 R69S	11.50
11 32 0 033 170	Pushrod R51/3 R50 R50S	5.70
11 32 0 033 174	Pushrod R67 R60	5.70
11 32 0 033 501	Cam Follower Guide R27	11.65
11 32 1 250 264	Cam Follower /5 - /6	6.75
11 32 1 250 267	Pushrod Seal /5 - /6	.80
11 32 1 255 805	Pushrod /5	10.50
11 32 1 259 607	Pushrod /6	
11 33 0 034 110	Bracket	3.75
11 33 0 034 112	Washer	.35
11 33 0 034 126	Screw	4.30
11 33 0 034 128	Nut	.30
11 33 0 034 130	Shaft	5.10
11 33 0 034 140	Bushing	4.20
11 33 0 034 145	Bushing	2.25
11 33 0 034 150	Shaft	5.10
11 33 0 034 158	Bracket	5.10
11 33 0 034 162	Washer	.90
11 33 0 034 166	Bolt	2.40
11 33 0 034 172	Rocker Arm R68 R69 R69S	25.00

SUGGESTED LIST

11 33 0 034 174	Rocker Arm R68 R69 R69S	25.00
11 33 0 034 176	Screw	3.95
11 33 0 034 178	Tappet Screw /5 /6	3.95
11 33 0 034 180	Shaft R68 R69 R69S	4.15
11 33 0 034 186	Bushing R68 R69 R69S	2.80
11 33 0 034 707	Rocker Arm R51/3 to R60/2	13.50
11 33 0 034 708	Rocker Arm R51/3 to R60/2	13.50
11 33 0 534 332	Shim	.20
11 33 1 250 088	Set Screw	.95
11 33 1 250 239	Bushing	1.75
11 33 1 250 259	Rocker Arm Int.R-Ex.L.	10.50
11 33 1 250 261	Rocker Arm Ex.R.-Int.L.	10.50
11 33 1 251 346	Shaft	
11 33 1 252 143	Washer	.10
11 33 1 252 628	Bushing	3.75
11 33 1 257 825	Washer	.20
11 33 1 257 922	Rocker Arm R90/6 R90S	10.55
11 33 1 257 924	Rocker Arm R90/6 R90S	10.55
11 33 1 258 268	Rocker Arm Shaft R90/6 R90S	11.35
11 34 0 026 101	Intake Valve	6.75
11 34 0 026 107	Exh.Valve R50S	18.10
11 34 0 026 110	Inner Valve Spring	1.10
11 34 0 026 118	Outer Valve Spring	1.40
11 34 0 026 124	Valve Keeper Pair	1.10
11 34 0 026 128	Lower Plate	.85
11 34 0 026 132	Upper Plate	3.15
11 34 0 026 160	Inner Valve Spring	1.40
11 34 0 026 164	Outer Valve Spring	1.95
11 34 0 026 170	Intake Valve	6.75
11 34 0 026 174	Valve Keeper Pair	1.50
11 34 0 026 179	Lower Plate R68 R69 R69S	2.75
11 34 0 026 180	Upper Plate	3.70
11 34 0 026 186	Ins.Washer R68 R69 R69S	.80
11 34 0 026 187	Upper Plate	3.75
11 34 0 026 460	Valve Keeper Pair	1.40
11 34 0 026 724	Valve Keeper Pair	1.40
11 34 0 026 824	Valve Keeper Pair	1.40
11 34 0 026 832	Upper Plate	1.40
11 34 1 250 233	Lower Plate	.70
11 34 1 250 234	Intake Valve R75/5	8.20
11 34 1 250 245	Exhaust Valve R75/5	15.00
11 34 1 251 472	Exhaust Valve	14.95
11 34 1 252 495	Valve Spring	2.50

SUGGESTED LIST

11 34 1 253 118	Intake Valve R50/5	8.50
11 34 1 253 119	Exhaust Valve R50/5	14.95
11 34 1 254 300	Upper Plate	1.95
11 34 1 256 554	Upper Plate	1.95
11 34 1 256 678	Intake Valve R60/5 R69S	8.80
11 34 1 256 679	Exhaust Valve R60/5 R69S	15.00
11 34 1 257 837	Exhaust Valve R90/6 R90S	15.50
11 34 1 258 027	Valve Spring	2.50
11 41 0 052 001	Oil Pump R27	38.00
11 41 0 052 110	Plug	3.10
11 41 0 052 112	Gear R27	9.70
11 41 0 052 116	Driveshaft R25 to R26	8.25
11 41 0 052 117	Driveshaft R27	8.25
11 41 0 052 118	Lock	.20
11 41 0 052 121	Gear R27	8.25
11 41 0 052 122	Shell	1.20
11 41 0 052 130	Lock	.20
11 41 0 052 135	Gasket	.20
11 41 0 052 139	Strainer	3.30
11 41 0 052 156	Oil Pump Gear	21.50
11 41 0 052 164	Oil Pump Gear	12.50
11 41 0 052 165	Nut	1.20
11 41 0 052 167	Nut	.75
11 41 0 052 168	Lock	.40
11 41 0 052 169	Gear	13.20
11 41 0 052 171	Gear	10.80
11 41 0 052 527	Gasket	.20
11 41 0 052 874	Screen	1.25
11 41 0 552 280	Gasket	.20
11 41 0 652 120	Plunger	1.80
11 41 0 652 128	Spring	.55
11 41 1 250 272	Cover	5.75
11 41 1 250 274	O Ring	1.20
11 41 1 252 223	Screw	1.65
11 41 1 252 226	Clip	.40
11 41 1 253 293	Outer Rotor	5.30
11 41 1 253 294	Inner Rotor	5.30
11 41 1 258 971	Rotor /6	5.30
11 42 1 250 282	Cover	6.50
11 42 1 250 284	Gasket	.30
11 42 1 250 285	O Ring	.50

11 42 1 251 300	Cover	4.75
11 42 1 253 919	Oil Filter	2.95
11 43 0 009 110	Oil Stick Singles	4.10
11 43 0 009 127	Oil Stick R51/3 to R69S	4.30
11 43 1 252 661	Oil Stick /5 /6	4.50
11 61 0 042 162	Rubber R51/3 to R67	1.20
11 61 0 043 108	Air Hose R25/3	4.75
11 61 0 043 161	Boot R50 to R60/2	1.50
11 61 0 043 162	Seal R68 R69 R69S	.95
11 61 0 043 163	Seal R50 to R60/2	.85
11 61 0 043 164	Seal R68	1.10
11 61 0 043 165	Seal R69 R69S	.95
11 61 0 043 166	Guide Ring R69S	2.95
11 61 0 043 168	Guide Ring R69S	.50
11 61 0 043 174	Air Tube Left R50	17.50
11 61 0 043 175	Air Tube Right R50	17.50
11 61 0 043 176	Air Tube Right R50S	17.50
11 61 0 043 177	Air Tube Left R50S	17.50
11 61 0 043 178	Air Tube Left R69S	20.00
11 61 0 043 179	Air Tube Right R69S	20.00
11 61 4 000 131	Washer	.20
11 81 4 034 113	Bolt R25/2	3.95
11 81 4 034 115	Bolt R25/3 R26 R27	3.95
11 81 4 034 119	Rubber R25 to R26	1.00
11 81 4 034 120	Ring R27	2.25
11 81 4 034 126	Support R27	1.40
11 81 4 034 130	Support R27	4.15
11 81 4 034 166	Rubber R25 to R26	1.10
11 81 4 034 216	Engine Bolt R51 to R69S	4.20
11 81 4 034 224	Spacer R51 to R69S	1.35
11 81 4 034 282	Bracket R50 to R69S	1.80
12 11 1 351 564	Condenser /5 /6	3.10
12 11 1 353 226	Point Set /5 /6	3.95
12 11 1 353 345	Clamp	.20
12 11 1 353 639	Auto.Advance /5	26.00
12 11 1 353 640	Point Assy.Cpl.	10.20
12 11 1 356 142	Spring	.75
12 11 1 356 286	Auto.Advance R60/6 R75/6	
12 11 1 356 546	Spring	.75
12 11 1 357 626	Auto.Advance R90/6 R90S	
12 11 1 357 627	Spring	.75

SUGGESTED LIST

12 11 8 002 170	Spring	.45
12 11 8 004 025	Magneto	120.00
12 11 8 004 027	Magneto R68 R69	120.00
12 11 8 004 108	Magneto Rotor	41.00
12 11 8 004 116	Point Set R51/3 to R69S	1.95
12 11 8 004 136	Washer	.20
12 11 8 004 138	Washer	.20
12 11 8 008 108	Timing Unit R25/3	17.40
12 11 8 008 109	Timing Unit R25/2	17.40
12 11 8 008 112	Timing Unit R26	22.75
12 11 8 030 008	Point Assy.Plate	15.50
12 11 8 030 100	Point Set R25 to R26	2.10
12 11 8 030 110	Point Set R51/3 to R69S	1.95
12 11 8 030 132	Point Assy.Plate R27	19.50
12 11 8 030 134	Screw R27	.20
12 11 8 030 140	Felt R27	1.20
12 11 8 030 142	Screw R27	.75
12 11 8 030 147	Timing Unit R27	25.75
12 11 8 030 148	Spring R27	.95
12 11 8 030 155	Point Set R27	3.25
12 11 8 530 576	Clip R27	.30
12 11 8 536 129	Sleeve	.40
12 12 1 351 531	Ign.Cable /5 /6	12.50
12 12 1 354 509	Spark Plug Cap	4.50
12 12 2 072 368	Timing Cable R68 R69	3.25
12 12 8 002 171	Spring	.80
12 12 8 002 172	Spring	.80
12 12 8 003 570	Spark Plug W240T2	1.15
12 12 8 003 572	Spark Plug W260T2	1.15
12 12 8 004 113	Timing Unit R51/3 to R69S	26.00
12 12 8 036 124	Ignition Cable	3.50
12 12 8 036 150	Grommet	.40
12 12 8 036 160	Grommet	.40
12 12 8 036 163	Grommet	.40
12 12 8 036 165	Fitting	.10
12 12 8 536 120	Clip	.20
12 12 8 636 166	Spark Plug W200T30	1.15
12 12 8 636 167	Spark Plug W230T30	1.15

SUGGESTED LIST

12 13 1 350 207	Cable	.80
12 13 1 351 584	Ign.Coil /5 /6	19.85
12 13 1 354 147	Wire	.80
12 13 8 004 104	Ign.Coil R51/3 to R69S	49.50
12 13 8 030 000	Ign.Coil R25 to R26	27.50
12 13 8 030 025	Ign.Coil R27	19.85
12 13 8 031 705	Clip	2.25
12 31 1 350 769	Roll Pin	.40
12 31 1 350 786	Brush Spring	.75
12 31 1 350 787	Brush Set	2.90
12 31 1 351 585	Alternator /5	158.50
12 31 1 357 498	Diode Carrier /6	49.50
12 31 1 357 497	Alternator /6	
12 31 8 002 007	Generator R27	115.00
12 31 8 002 031	Generator R51/3 to R69S	150.00
12 31 8 002 033	Generator 12V R50 to R69S	150.00
12 31 8 002 102	Armature R26	90.00
12 31 8 002 106	Brush	1.50
12 31 8 002 108	Armature Bolt R26	1.20
12 31 8 002 113	Point Set R25 to R26	2.10
12 31 8 002 115	Point Set R25 to R26	2.10
12 31 8 002 124	Brush Spring R51/3 to R69S	.45
12 31 8 002 139	Field Coil R25/3 R26	8.20
12 31 8 002 141	Armature R27	69.50
12 31 8 002 142	Armature Bolt R27	2.50
12 31 8 002 144	Field Coil R25/3 R26 R27	6.95
12 31 8 002 145	Field Coil R25/3 R26 R27	6.95
12 31 8 002 146	Field Coil R25/3 R26 R27	6.95
12 31 8 002 165	Field Coil R25/2 R25/3	6.95
12 31 8 002 166	Field Coil R25/2 R25/3	6.95
12 31 8 002 167	Field Coil R25/2 R25/3	6.95
12 31 8 002 168	Field Coil R25/2 R25/3	11.25
12 31 8 002 202	Armature R51/3 to R69 1960	75.00
12 31 8 002 203	Armature R50/2 to 69S	73.00
12 31 8 002 205	Armature Bolt	2.05
12 31 8 002 212	Field Coil R50 to R69S	7.95
12 31 8 002 213	Field Coil R50 to R69S	7.95
12 31 8 002 214	Field Coil R50 to R69S	7.95
12 31 8 002 215	Field Coil R50 to R69 1960	7.95
12 31 8 002 216	Field Coil R50/2 to R69S	7.95
	1961 on	
12 31 8 002 219	Brush R51/3 to R68	2.05
12 31 8 002 224	Resistor Twins 1954 to 1960	5.40
12 31 8 002 289	Set Screw	.20
12 31 8 002 307	Resistor 1961 on	5.40
12 31 8 002 308	Spring	.25
12 31 8 002 309	Washer	.20

SUGGESTED LIST

12 31 8 002 310	Brush 6V 75 Watt Gen.	2.65
12 31 8 002 311	Brush Spring	.40
12 31 8 002 314	Armature Bolt 12 Volt	1.85
12 31 8 002 315	Armature 6V 75 W.	80.00
12 31 8 002 330	Armature 12 Volt	80.00
12 31 8 002 332	Brush 12 Volt	2.05
12 31 8 002 339	Conn.Plate 12 Volt	4.25
12 31 8 002 345	Alternator Housing /5	46.95
12 31 8 002 346	Stator /5	72.50
12 31 8 002 347	Rotor /5	49.00
12 31 8 002 348	Bolt /5	2.95
12 31 8 002 349	Connector	5.20
12 31 8 002 350	Brushholder	10.00
12 31 8 002 351	Connector	.30
12 31 8 002 100	Mag.Rotor Bolt	1.95
12 31 8 002 101	Tacho Drive Bolt	5.30
12 31 8 002 115	Cover R27	1.45
12 31 8 030 106	Condenser R25 to R69S	1.60
12 31 8 030 107	Condenser Clamp	.85
12 31 8 030 108	Condenser Cable	.60
12 31 8 036 184	Armature Bolt	1.85
12 32 1 350 052	Regulator /5	18.50
12 32 1 350 226	Harness /5	5.30
12 32 1 352 472	Guard /5	1.60
12 32 1 354 758	Regulator	23.50
12 32 1 357 499	Regulator /6	19.50
12 32 8 002 306	Regulator Base Plate	.85
12 32 8 002 312	Use 12 32 1 354 758	
12 32 8 002 325	Regulator 12 Volt	31.20
12 32 8 008 106	Regulator R27	31.20
12 32 8 008 512	Diode Carrier /5	49.50
12 33 1 357 639	Harness /6	
12 41 1 255 797	Nut	.40
12 41 1 350 246	Starter /5	135.00
12 41 1 350 775	Relay /5	15.75
12 41 1 351 590	Angle	.75
12 41 1 352 524	Field Coil Set	24.50
12 41 1 352 525	Insulator	.20
12 41 1 352 526	Bearing	17.00
12 41 1 352 527	Bushing	1.20
12 41 1 352 528	Lever	2.20
12 41 1 352 529	Head Bolt	.50
12 41 1 352 530	Armature	44.50

SUGGESTED LIST

12 41 1 352 532	Pinion	26.00
12 41 1 352 533	Bushing	.60
12 41 1 352 534	Bearing	3.50
12 41 1 352 535	Plate	5.20
12 41 1 352 536	Brush Set	4.25
12 41 1 352 537	Brush Spring	.75
12 41 1 352 538	Screw	.85
12 41 1 352 539	Cover	.95
12 41 1 352 540	Solenoid	26.75
12 41 1 352 541	Sets of Parts	1.35
12 41 1 357 577	Starter Cable /6	
12 41 8 002 532	Brush Spring	.50
12 41 8 620 126	Stop Ring	1.35
12 41 8 620 136	Bushing	1.10
12 41 8 620 158	Screw	.40
13 11 0 039 004	Carburetor R25/2	55.00
13 11 0 039 005	Carburetor R27	48.00
13 11 0 039 006	Carburetor R25/3	55.00
13 11 0 039 048	Carburetor Right R50S	57.00
13 11 0 039 049	Carburetor Left R50S	57.00
13 11 0 039 056	Carburetor Right R68 to R69S	57.00
13 11 0 039 057	Carburetor Left R68 to R69S	57.00
13 11 0 039 073	Carburetor Right R50	57.00
13 11 0 039 074	Carburetor Left R50	57.00
13 11 0 039 076	Carburetor Right R60	57.00
13 11 0 039 077	Carburetor Left R60	57.00
13 11 0 039 103	Manifold R26 R27	4.75
13 11 0 039 111	Cover Left R51/3 to R60	2.65
13 11 0 039 112	Cover Right R51/3 to R60	2.65
13 11 0 039 113	Cover R27	1.10
13 11 0 039 116	Throttle Slide R50/2 R60/2	3.05
13 11 0 039 117	Throttle Slide R68 to R69S	3.35
13 11 0 039 119	Throttle Slide R51/3 to R67	3.05
13 11 0 039 120	Throttle Slide R50 R60	3.35
13 11 0 039 123	Jet Holder R51/3 to R69	1.50
13 11 0 039 124	Jet Holder R50 R60	1.50
13 11 0 039 129	Needle Jet R69S	1.50
13 11 0 039 135	Idle Jet	.95
13 11 0 039 137	Idle Jet #35	.95
13 11 0 039 141	Main Jet #130	.95
13 11 0 039 144	Main Jet #110	.95
13 11 0 039 145	Main Jet #145	.95
13 11 0 039 147	Main Jet #125	.95
13 11 0 039 156	Screw	.20
13 11 0 039 158	Cover R26 R27	2.50
13 11 0 039 161	Tickler R26 R27	1.15
13 11 0 039 164	Tickler Spring	.10
13 11 0 039 165	Cotter Pin	.10
13 11 0 039 167	Slide Spring R26 R27	.30
13 11 0 039 168	Slide Spring R67 R68 R69S	.30
13 11 0 039 169	Slide Spring R51/3 to R60/2	.30
13 11 0 039 170	Stop Spring R68 to R69S	.30

13 11 0 039 171	Stop Spring R51/3 to R60/2	
13 11 0 039 172	Slide Needle	.30
13 11 0 039 173	Slide Needle	.90
13 11 0 039 175	Clip	.90
13 11 0 039 176	Clip	.30
13 11 0 039 178	Adj. Screw Twins	.30
13 11 0 039 179	Adj. Screw R27	.75
13 11 0 039 180	Idle Adj. Screw	.75
13 11 0 039 181	Idle Adj. Screw R51/3 to R69S	.75
13 11 0 039 182	Nut	1.50
13 11 0 039 183	Bushing R51/3 to R69S	.20
13 11 0 039 184	Nut R51/3 to R69S	.60
13 11 0 039 185	Bushing R51/3 to R69S	.20
13 11 0 039 186	Float 11 gr. R26 R27	.60
13 11 0 039 187	Float 7 gr. R51/3 to R69S	1.80
13 11 0 039 188	Float Needle R25/3 to R27	1.80
13 11 0 039 191	Elbow R25/3 to R27	.95
13 11 0 039 192	Plug R25/3 to R27	1.35
13 11 0 039 193	Lock Washer	1.30
13 11 0 039 195	Plug R50/2 to R69S	.20
13 11 0 039 196	Plug for Idle Jet All	1.25
13 11 0 039 197	Plug R51/3 to R69	.40
13 11 0 039 198	Plug R51/3 to R69	1.65
13 11 0 039 200	Housing R27	.95
13 11 0 039 215	Ring Nut R51/3 to R67	22.90
13 11 0 039 216	Ring Nut R68 R69 - /2	1.25
13 11 0 039 217	Ring Nut R50 -R60	1.65
13 11 0 039 218	Cover Left R68 R69 - /2	1.65
13 11 0 039 219	Cover Right R68 R69 - /2	2.75
13 11 0 039 220	Ring Nut R26 R27	2.75
13 11 0 039 222	Cover R26	1.25
13 11 0 039 226	Slide R26 R27	3.10
13 11 0 039 231	Clamp R27	3.05
13 11 0 039 238	Jet R27	1.10
13 11 0 039 239	Main Jet #135	.95
13 11 0 039 241	Main Jet #120	.95
13 11 0 039 244	Main Jet #105	.95
13 11 0 039 245	Main Jet #115	.95
13 11 0 039 247	Clamp Bolt R27 - /5	.95
13 11 0 039 250	Carb.Housing Left R50/2 R60/2	.55
13 11 0 039 251	Carb.Housing Right R50/2 R60/2	36.00
13 11 0 039 252	Carb.Housing Left R69S	36.00
13 11 0 039 253	Carb.Housing Right R69S	36.00
13 11 0 039 260	Tickler	36.00
13 11 0 039 272	Slide Needle R68 R69S	1.15
13 11 0 039 274	Slide Needle R26 R50 R60	.90
13 11 0 039 278	Spring R26	1.25
13 11 0 039 280	Idle Screw R26	.20
13 11 0 039 282	Slide Stop Screw R26 R27	.50
13 11 0 039 284	Nut R26 R27 - /5	.60
13 11 0 039 288	Float Needle R51/3 to R69S	.20
13 11 0 039 290	Acc.Pump R27	.75
13 11 0 039 291	Plug for Acc.Pump R27	5.40
13 11 0 039 292	Jet R27	3.90
13 11 0 039 299	Plug R26 R27	.95
		.95

SUGGESTED LIST

13 11 0 039 527	Slide Stop Screw	.95
13 11 0 039 540	Use 13 11 0 039 291	
13 11 0 039 597	Plug	.95
13 11 0 042 111	Cable Boot	.50
13 11 0 042 120	Gasket R26 R27	.20
13 11 0 042 122	Gasket R26 R27	.20
13 11 0 042 126	Gasket R51/3 to R69S	.20
13 11 0 042 130	Gasket R51/3 to R69S	.20
13 11 0 042 134	Gasket R51/3 to R69S	.20
13 11 0 042 135	Gasket /2	.10
13 11 0 042 145	Manifold Gasket R26 R27	2.25
13 11 0 042 146	Manifold Gasket R51/3 to R60/2	2.25
13 11 0 042 147	Manifold Gasket R68 to R69S	2.25
13 11 0 042 148	Gasket R26 R27	.20
13 11 0 042 149	O Ring R51/3 to R69S	.30
13 11 0 042 150	Float Cover Gasket R51/3 to R69S	.20
13 11 0 043 103	Clamp R26 R27 R51/3 to R67	.50
13 11 0 539 250	Screw /5	.75
13 11 1 250 755	Slide Needle R69S NS	1.05
13 11 1 251 394	Float Needle /2	.75
13 11 1 251 395	Lever /2	.75
13 11 1 251 396	Pin /2	.20
13 11 1 251 616	Carburetor Left R60/5 R60/6	48.50
13 11 1 251 617	Carburetor Right R60/5 R60/6	48.50
13 11 1 252 176	Float Bowl Cover R51/3 to R69S	4.95
13 11 1 252 177	Tickler	.75
13 11 1 252 178	Float Shaft	.30
13 11 1 252 179	Float Shaft Washer	
13 11 1 253 857	Carburetor Right R75/5	106.00
13 11 1 253 858	Carburetor Left R75/5	106.00
13 11 1 254 083	Fuel Line Connector	1.75
13 11 1 254 702	Carb.Housing Right R75/5	45.50
13 11 1 254 703	Carb.Housing Left R75/5	45.50
13 11 1 254 729	Needle Jet 2.73	1.05
13 11 1 254 730	Mixing Chamber	1.50
13 11 1 254 731	Mixing Tube	1.50
13 11 1 254 732	Washer	.20
13 11 1 254 733	Main Jet #140	.95
13 11 1 254 734	Idle Jet #45	2.50
13 11 1 254 735	O Ring	.40
13 11 1 254 736	Spring	.20
13 11 1 254 737	Butterfly	3.90
13 11 1 254 738	Screw	.20
13 11 1 254 739	O Ring	.45
13 11 1 254 740	Support Arm Right	.85
13 11 1 254 741	Support Arm Left	.85

SUGGESTED LIST

13 11 1 254 743	Screw	.20
13 11 1 254 745	Choke Lever Right	.45
13 11 1 254 746	Choke Lever Left	.45
13 11 1 254 747	Choke Lever	.40
13 11 1 254 750	Adj. Screw	.90
13 11 1 254 751	Spring	.40
13 11 1 254 752	Choke Housing Right	7.70
13 11 1 254 753	Choke Housing Left	7.70
13 11 1 254 755	Starter Lever	.90
13 11 1 254 756	Starter Lever	.90
13 11 1 254 757	Nipple	.50
13 11 1 254 758	Washer	.20
13 11 1 254 759	Washer	.25
13 11 1 254 760	Nut	.25
13 11 1 254 761	Screw	.20
13 11 1 254 762	Float Bowl Right	4.30
13 11 1 254 763	Float Bowl Left	4.30
13 11 1 254 764	Gasket	.75
13 11 1 254 765	Clip	.75
13 11 1 254 766	Float /5	3.95
13 11 1 254 767	Float Needle	1.65
13 11 1 254 768	Pin	.30
13 11 1 254 769	Throttle Slide Cpl. with Cover R75/5	32.75
13 11 1 254 771	Clip	.50
13 11 1 254 772	Slide Needle	.75
13 11 1 254 773	Ring	.20
13 11 1 254 774	Diaphragm	3.95
13 11 1 254 775	Diaphragm Support Ring	2.55
13 11 1 254 776	Lock Washer	.20
13 11 1 254 777	Screw	.20
13 11 1 254 779	Screw	.20
13 11 1 254 908	Return Spring	.70
13 11 1 254 909	Carb.Housing Left R50/5 R60/5	22.50
13 11 1 254 910	Carb.Housing Right R50/5 R60/5	22.50
13 11 1 254 911	Tickler	1.05
13 11 1 254 912	Tickler Spring	.20
13 11 1 254 913	Clamp Ring	1.30
13 11 1 254 914	Needle Jet 2.68	.95
13 11 1 254 915	Idle Jet #35	2.35
13 11 1 254 916	Main Jet #130	1.20
13 11 1 254 917	Air Reg. Screw	.80
13 11 1 254 918	Spring	.20
13 11 1 254 919	Fuelline Adapter	1.10
13 11 1 254 920	Gasket	.20
13 11 1 254 921	Adjusting Screw	.95
13 11 1 254 922	Spring	.30
13 11 1 254 923	Float housing	3.95
13 11 1 254 924	Gasket	.95
13 11 1 254 925	Throttle Slide	3.15
13 11 1 254 926	Jet Needle #4	.95
13 11 1 254 927	Needle Retainer	.20
13 11 1 254 928	Washer	.30

SUGGESTED LIST

13 11 1 254 929	Spring	.30
13 11 1 254 930	Cover Left	3.05
13 11 1 254 931	Cover Right	3.05
13 11 1 254 932	O Ring	.60
13 11 1 254 933	Tickler Cap	.45
13 11 1 255 141	Carburetor Right R50/5	48.50
13 11 1 255 142	Carburetor Left R50/5	48.50
13 11 1 255 532	Screw	1.20
13 11 1 255 533	Choke Spring Left	.55
13 11 1 255 534	Choke Spring Right	.55
13 11 1 255 535	Guide Tube	.20
13 11 1 255 557	Idle Jet #40	2.90
13 11 1 255 816	Acc.Pump	5.50
13 11 1 255 817	Plug Float housing	2.40
13 11 1 255 835	Main Jet #135	.95
13 11 1 255 836	Main Jet #140	.95
13 11 1 255 837	Gasket	.20
13 11 1 255 838	Acc.Pump Kit	19.80
13 11 1 255 840	Slide Needle	.95
13 11 1 255 974	Ins. Washer	.30
13 11 1 255 975	Ins. Bushing	1.35
13 11 1 256 353	Seal Ring	.30
13 11 1 256 354	Washer	.30
13 11 1 256 612	Main Jet 135	.95
13 11 1 256 731	Carburetor Left	128.00
13 11 1 256 732	Carburetor Right	128.00
13 11 1 257 810	Needle Jet 2.70	1.10
13 11 1 257 811	Mixing Tube	1.95
13 11 1 257 812	Seal	.45
13 11 1 257 813	Idle Jet	3.05
13 11 1 257 814	Start Lever	.30
13 11 1 257 815	Starter Housing Right	8.20
13 11 1 257 816	Starter Housing Left	8.20
13 11 1 257 817	Shaft Right	4.95
13 11 1 257 818	Shaft Left	4.95
13 11 1 257 819	O Ring	.45
13 11 1 257 820	Throttle Slide & Cover Assy.	44.80
13 11 1 258 050	Carb. Gasket Set R50/5 R60/5	3.15
13 11 1 258 051	Carb. Gasket Set R75/5	13.50
13 11 1 258 319	Gasline Black	
13 11 1 259 272	Slide Spring	
13 11 1 259 273	Slide Spring	
13 11 1 259 274	Return Spring	
13 11 1 259 275	Return Spring	
13 11 1 259 276	Washer	
13 11 1 259 869	Screw	
13 11 1 259 870	Gasket	
13 11 1 259 936	Carburetor Left R90/S	
13 11 1 259 937	Carburetor Right R90/S	

SUGGESTED LIST

13 11 2 088 552	Grommet	.20
13 21 2 072 157	Throttle Cable R25/3	3.25
13 21 2 072 254	Throttle Cable R27	3.40
13 21 2 072 256	Throttle Cable R26	3.25
13 21 2 072 348	Throttle Cable R50 to R69S	3.95
13 21 2 072 356	Throttle Cable R51/2 to R68	3.95
13 23 1 252 812	Choke Lever	10.80
13 23 1 252 825	Choke Lever Assembly	12.00
13 23 1 252 826	Choke Cable Left	2.10
13 23 1 252 827	Choke Cable Right	2.10
13 23 1 255 976	Choke Cable Left	1.80
13 23 1 255 977	Choke Cable Right	1.90
13 23 1 256 017	Choke Lever Assy.	12.00
13 23 1 256 018	Choke Lever	11.50
13 23 1 256 295	Adj. Screw	.95
13 31 1 252 947	Use 13 11 1 258 319	
13 42 8 009 579	Washer	.30
13 72 0 042 161	Carb. Hose R26 R27	1.70
13 72 0 043 002	Air Filter Cpl. R26 R27	34.00
13 72 0 043 116	Air Seal R26	.75
13 72 0 043 119	Air Filter Gasket	.55
13 72 0 043 146	Air Filter Element R50 R69S	5.30
13 72 0 043 147	Air Filter Bolt R27	2.70
13 72 0 043 149	Air Filter Bolt R26	2.70
13 72 0 043 150	Housing R50S R69S	18.75
13 72 0 043 151	Base R50S R69S	4.75
13 72 0 043 152	O Ring	2.50
13 72 0 043 157	Filter Bolt R50 to R69	4.95
13 72 0 043 167	Filter Bolt R50S R69S	4.45
13 72 0 043 171	Filter Cover R50 R60	12.50
13 72 0 043 182	Air Tube Left R60	18.50
13 72 0 043 183	Air Tube Right R60	18.50
13 72 0 043 524	Air Filter Element R50 R60	6.50
13 72 0 043 536	O Ring	.75
13 72 0 043 809	Gasket	.60
13 72 1 250 314	Air Filter Cpl. R50 to R69S	29.50
13 72 1 250 315	Air Filter Element	5.30
13 72 1 250 389	Air Filter Element R50 R60	6.50
13 72 1 250 391	Air Filter Element R27	6.50
13 72 1 250 653	Air Tube Left R75/5	2.50
13 72 1 250 654	Air Tube Right R75/5	2.50
13 72 1 251 169	Clip	.75
13 72 1 251 611	Air Tube Left R50/5 R60/5	3.00
13 72 1 251 612	Air Tube Right R50/5 R60/5	3.00

SUGGESTED LIST

13 72 1 253 717	Housing Left /5	18.60
13 72 1 253 720	Housing Right /5	18.60
13 72 1 253 925	Plate	.30
13 72 1 254 042	Bolt	1.05
13 72 1 254 200	Bushing R50/5 R60/5	1.75
13 72 1 254 382	Air Filter Element /5	7.50
13 72 1 254 654	Air Tube Rubber R75/5	1.60
13 72 1 256 654	Clamp R50/5 R60/5	.85
13 72 1 256 655	Clamp R75/5	.85
13 72 1 257 395	Air Tube Rubber R75/5	1.40
13 72 1 257 398	Clamp R75/5	.85
13 72 1 257 763	O Ring	.50
13 72 1 258 059	Air Tube Left Black R75/5	3.00
13 72 1 258 060	Air Tube Right Black R75/5	3.00
13 72 1 259 812	Filter Housing Left R90S	
13 72 1 259 814	Filter Housing Right R90S	
13 72 1 259 820	Grommet	
13 72 8 042 132	Mount	1.80
13 72 8 042 172	Filter Box R27	29.95
16 11 1 230 030	Support	1.95
16 11 1 230 031	Support Front	.85
16 11 1 230 045	Support Front	1.50
16 11 1 230 048	Knee Pad Left	3.50
16 11 1 230 049	Knee Pad Right	3.50
16 11 1 230 263	Gasket	.70
16 11 1 230 506	Pad	.40
16 11 1 230 600	Gas Cap	12.50
16 11 1 230 603	Gasket	3.75
16 11 1 230 763	Strap	.25
16 11 1 230 768	Use 16 11 1 232 348	
16 11 1 230 769	Emblem	7.50
16 11 1 230 883	Roll Pin	.40
16 11 1 231 026	Gas Tank Black 25 ltr.	145.00
16 11 1 231 027	Gas Tank White 25 ltr.	145.00
16 11 1 231 029	Gas Tank Red 25 ltr.	145.00
16 11 1 231 030	Gas Tank 25 ltr. Polaris Blue Stripe	150.00
16 11 1 231 031	Gas Tank Curry 25 ltr.	150.00
16 11 1 231 032	Gas Tank Blue 25 ltr.	150.00
16 11 1 231 299	Tool Box Cover	11.50
16 11 1 231 866	Left Chrom. Panel	18.50
16 11 1 231 867	Right Chrom. Panel	18.50
16 11 1 232 001	Gas Tank Black No Stripe	130.00
16 11 1 232 002	Gas Tank White No Stripe	130.00
16 11 1 232 004	Gas Tank Red No Stripe	130.00
16 11 1 232 005	Gas Tank Polaris No Stripe	133.00
16 11 1 232 006	Gas Tank Curry No Stripe	133.00
16 11 1 232 007	Gas Tank Blue No Stripe	133.00

16 11 1 232 008	Gas Tank Polaris 25 ltr.Black Stripe	150.00
16 11 1 232 235	Knee Pad	4.50
16 11 1 232 236	Knee Pad	4.50
16 11 1 232 237	Washer	.30
16 11 1 232 306	Gas Tank Green with Stripes 17.5 ltr.	145.00
16 11 1 232 307	Gas Tank Black with Stripes 17.5 ltr.	140.00
16 11 1 232 308	Gas Tank White with Stripes 17.5 ltr.	140.00
16 11 1 232 310	Gas Tank Red with Stripes 17.5 ltr.	140.00
16 11 1 232 311	Gas Tank Polaris with Black Stripes 17.5 ltr.	145.00
16 11 1 232 312	Gas Tank Blue with Stripes 17.5 ltr.	145.00
16 11 1 232 313	Gas Tank Green 25 ltr.	150.00
16 11 1 232 348	Lock Gas Cap	20.00
16 11 1 232 349	Gas Cap	12.50
16 11 1 232 479	Gas Tank Curry with Stripes 17.5 ltr.	145.00
16 11 1 232 908	Emblem /6	
16 11 1 233 001	Gas Tank Prime R90/S	
16 11 1 233 005	Gas Tank Silver Smoke R90/S	
16 11 1 233 241	Emblem R90/S	
16 11 1 233 242	Base Plate	
16 11 4 080 014	Gas Tank R26 R27	195.00
16 11 4 080 042	Gas Tank R50 to R69S	195.00
16 11 4 080 048	Gas Tank Sport	205.00
16 11 4 080 126	Gas Cap R25 to R69S	3.75
16 11 4 080 127	Locking Gas Cap R25 to R69S	12.50
16 11 4 080 137	Spacer	.75
16 11 4 080 140	Spacer	.40
16 11 4 080 141	Spacer	.40
16 11 4 080 145	Washer	.30
16 11 4 080 148	Spacer	.40
16 11 4 080 160	Lock	.20
16 11 4 080 163	Tool Box Lid R25/3	12.50
16 11 4 080 165	Lock Screw	1.20
16 11 4 080 172	Tool Box Key	1.05
16 11 4 080 176	Tool Box Pin	.40
16 11 4 080 178	Tool Box Pin	.40
16 11 4 080 183	Knee Pad Left R26 R27	4.50
16 11 4 080 184	Knee Pad Left & Right R51/3 to R68	4.50
16 11 4 080 185	Knee Pad Left R25/3	4.50
16 11 4 080 186	Knee Pad Right R25/3	4.50
16 11 4 080 187	Knee Pad Right R50 to R69S	4.75
16 11 4 080 188	Tool Box Gasket	2.20
16 11 4 080 189	Knee Pad Left R50 to R69S	4.75
16 11 4 080 192	Knee Pad Left Sport Tank	4.75

SUGGESTED LIST

16 11 4 080 193	Knee Pad Right Sport Tank	4.75
16 11 4 080 194	Bracket	1.85
16 11 4 080 248	Spacer	.50
16 11 4 080 270	Tool Box Cover R50 to R69S	12.50
16 11 4 080 288	Gasket	1.20
16 12 4 084 008	Gas Tap R25/3 R27 /5	9.85
16 12 4 084 025	Gas Tap	12.25
16 12 4 084 030	Gas Tap R50 to R69S	12.25
16 12 4 084 109	Gas Tap Gasket	.20
16 12 4 084 110	Gas Tap Gasket	.20
16 12 4 084 111	Gas Tap Gasket	.20
16 12 4 084 115	Strainer	1.25
16 12 4 084 119	Nut	1.75
16 12 4 084 120	Nut	1.75
16 12 4 084 126	Connector	.85
16 12 4 084 169	Nut	1.85
16 12 4 084 178	Y Connector	2.15
16 12 8 050 550	Grommet	.20
17 11 4 570 122	Washer	.40
18 11 1 230 433	Exhaust Pipe Right /5	45.00
18 11 1 230 434	Exhaust Pipe Left /5	45.00
18 11 1 230 638	Crossover Pipe	12.75
18 11 4 090 014	Exhaust Pipe Left R69 R69S	45.00
18 11 4 090 016	Exhaust Pipe Right R69 R69S	45.00
18 11 4 090 048	Exhaust Pipe Left R60 R60/2	47.50
18 11 4 090 049	Exhaust Pipe Right R60 R60/2	47.50
18 11 4 090 067	Exhaust Pipe R27	42.50
18 11 4 090 073	Exhaust Pipe Left R50 R50/2	47.50
18 11 4 090 074	Exhaust Pipe Right R50 R50/2	47.50
18 11 4 090 110	Exhaust Pipe Nut	7.30
18 11 4 090 246	Crossover Pipe R51/3 R68	5.20
18 11 4 090 248	Crossover Pipe R50 to R69S	5.20
18 11 4 090 250	Nut R68 to R69S	9.25
18 11 4 090 251	Nut /5 - /6	.20
18 11 4 090 254	Retainer R68 to R69S	1.25
18 11 4 090 258	Retainer R68 to R69S	3.20
18 11 4 090 270	Nut /5 - /6	9.50
18 12 1 230 428	Muffler Right 70/71	62.00
18 12 1 230 429	Muffler Left 70/71	62.00
18 12 1 231 793	Muffler Left 1972 on	62.00
18 12 1 231 795	Muffler Right 1972 on	62.00
18 12 1 233 212	Muffler Left /6	62.00
18 12 1 233 213	Muffler Right /6	62.00
18 12 4 090 003	Muffler Right R51/3 to R68	50.00
18 12 4 090 004	Muffler Left R51/3 to R68	50.00

18 12 4 090 006	Muffler R27	62.00
18 12 4 090 008	Muffler R25/3	49.50
18 12 4 090 011	Muffler R26	56.00
18 12 4 090 087	Muffler R50 to R60/2	62.00
18 12 4 090 088	Muffler R50 to R60/2	62.00
18 12 4 090 089	Muffler Right R50S R69S	62.00
18 12 4 090 090	Muffler Left R50S R69S	62.00
18 21 1 230 432	Clamp Right	4.75
18 21 1 230 584	Clamp	4.85
18 21 1 230 585	Thrust Ring	1.50
18 21 1 230 586	Clamp Ring	2.70
18 21 1 230 587	Clamp Left	4.85
18 21 4 090 101	Clamp R25/3	4.20
18 21 4 090 104	Clamp R25/3	3.70
18 21 4 090 131	Spacer Tube R26	.95
18 21 4 090 138	Washer R25/3 to R27	1.10
18 21 4 090 141	Muffler Bracket R27	1.75
18 21 4 090 142	Muffler Bracket R25/3	2.80
18 21 4 090 143	Muffler Bracket R26	2.25
18 21 4 090 144	Rubber Support R27	2.70
18 21 4 090 155	Clamp R26	3.20
18 21 4 090 156	Muffler Clamp	5.20
18 21 4 090 159	Exhaust Pipe Clamp	4.50
18 21 4 090 201	Exhaust Pipe Clamp R50 to R69S	3.60
21 21 0 070 000	Clutch Plate R25/3 to R27	21.00
21 21 0 070 005	Clutch Plate R25/2	21.00
21 21 0 070 025	Clutch Plate R51/3 to R67	27.75
21 21 0 070 027	Clutch Plate R68 to R69S	27.75
21 21 0 070 060	Clutch Plate R50 to R69S	31.75
21 21 0 070 100	Pressure Plate R25/3 to R27	18.50
21 21 0 070 126	Clutch Spring R25 to R25/3	1.10
21 21 0 070 137	Clutch Spring R27	10.55
21 21 0 070 151	Pressure Plate R51/3 R67	21.75
21 21 0 070 154	Clutch Screw	.30
21 21 0 070 155	Clutch Screw R50 to R69S	.30
21 21 0 070 157	Pressure Plate R50 to R75/5	28.75
21 21 0 070 166	Pressure Plate R50 to R69S	28.75
21 21 0 070 178	Clutch Spring R51/3 to R68	1.65
21 21 0 070 182	Clutch Spring R50 to R69S R50/5 R60/5	12.50
21 21 0 070 188	Gear Plate R51/3 R67	45.10
21 21 0 070 190	Spacer R51/3 to R68	2.70
21 21 0 070 500	Center Plate R26 R27	16.75
21 21 0 070 505	Clutch Spring R26	10.55
21 21 0 070 510	Spacer Ring	8.40
21 21 0 070 511	Spacer	.75
21 21 1 231 463	Clutch Bolt	.55
21 21 1 250 288	Clutch Spring	10.55

SUGGESTED LIST

21 21 1 251 801	Pressure Plate	25.75
21 21 1 251 803	Clutch Plate	26.75
21 51 1 080 112	Adj. Screw	.85
21 51 1 230 090	Pin	1.70
21 51 1 230 104	Lever	10.75
21 51 1 230 108	Adj. Bolt	1.05
21 51 1 230 109	Dust Boot	.85
21 52 1 020 106	End Piece	4.20
21 52 1 020 109	Seal	.75
21 52 1 020 112	Pin	.55
21 52 1 020 116	Adj. Screw	1.05
21 52 1 020 124	Clamp R25/3	3.50
21 52 1 020 128	Washer	.35
21 52 1 020 132	Felt	.30
21 52 1 020 136	Washer	.45
21 52 1 020 140	Bushing R50 to 69S	3.45
21 52 1 020 168	Throw Out Rod R26 R27	6.30
21 52 1 080 104	Lever R25/2 to R27	7.60
21 52 1 080 122	Spring	.30
21 52 1 080 126	Pin R25/3	.80
21 52 1 080 130	Pin R25/3	.80
21 52 1 080 138	Clutch Rod R25/2 R25/3	6.75
21 52 1 080 150	End Piece R50 to R69S	4.50
21 52 1 080 154	Dog R50 to R69S	7.75
21 52 1 080 160	Throw Out Race R51/3 to R68	4.95
21 52 1 080 166	Clutch Lever R50 to R69S	7.45
21 52 1 080 172	Clutch Rod R51/3 to R68	7.45
21 52 1 080 176	Clutch Rod R50 to R69S	6.35
21 52 2 072 216	Clutch Cable R26 R27	3.75
21 52 2 072 317	Clutch Cable R51/3 to R68	7.60
21 52 2 072 322	Clutch Cable R50 to R69S	4.50
23 00 1 000 035	Transmission Cpl. R50 to R69S	465.00
23 00 1 230 050	Transmission Cpl. /5	485.00
23 00 1 230 911	Gasket Set /5	10.75
23 11 1 006 015	Transmission Housing R27	148.00
23 11 1 006 029	Transmission Housing R50 to R69S	169.00
23 11 1 006 124	Seal	1.95
23 11 1 006 174	Neutral Plug	1.10
23 11 1 006 179	Seal R50 to R69S	3.50
23 11 1 006 242	Oil Retainer R50 to R69S	1.40
23 11 1 006 280	Gasket	.40
23 11 1 012 012	Transmission Cover R26 R27	62.00
23 11 1 012 031	Transmission Cover R50 to R69S	69.50
23 11 1 012 100	Pin	.60

23 11 1 030 174	Bolt	.75
23 11 1 030 540	Seal R26 R27	2.40
23 11 1 230 052	Transmission Housing /5	169.00
23 11 1 230 054	Transmission Cover /5	69.50
23 11 1 230 599	Bolt	.95
23 11 1 231 702	Gasket	.95
23 11 3 038 513	Seal R50 to R69S	3.15
23 12 1 006 261	Seal R51/3 to R68	3.65
23 12 1 030 272	Seal R51/3 to R68	3.65
23 12 1 066 225	Seal R51/3 to R68	2.70
23 12 1 200 439	Bearing /5	6.75
23 12 1 230 075	Oil Baffle	.95
23 12 1 230 087	Seal	3.65
23 12 1 230 088	Seal	3.35
23 12 1 231 493	Bearing	6.90
23 21 1 020 005	Main Shaft R50 to R69S	33.75
23 21 1 020 009	Main Shaft R26 R27	33.75
23 21 1 020 102	Washer	.75
23 21 1 020 144	Dog R26 R27	7.30
23 21 1 020 148	Spring Clip	.20
23 21 1 020 152	Spring R50 to R69S	3.75
23 21 1 020 157	Shim	.90
23 21 1 020 164	Washer	.85
23 21 1 020 210	Shim .075	.50
23 21 1 020 211	Shim .44	.50
23 21 1 020 215	Shim .88	.50
23 21 1 020 216	Shim 1mm	.50
23 21 1 030 000	Main Shaft R26 R27	41.00
23 21 1 030 025	Main Shaft R51/3 to R68	41.00
23 21 1 030 027	Main Shaft	26.50
23 21 1 030 028	Main Shaft R50 to R69S	43.00
23 21 1 030 100	Spring Clip	.20
23 21 1 030 104	Thrust Washer	.95
23 21 1 030 120	Nut	3.35
23 21 1 030 122	Nut	3.45
23 21 1 030 168	Washer	.20
23 21 1 030 169	Washer	.20
23 21 1 030 172	Flange R26 R27	35.00
23 21 1 030 220	Washer R51/3 to R68	.75
23 21 1 030 296	Flange	21.00
23 21 1 030 297	Flange	35.00
23 21 1 040 027	Cluster Gear	52.00
23 21 1 040 028	Cluster Gear	52.00

SUGGESTED LIST

23 21 1 230 057	Flange /5	35.00
23 21 1 230 077	Shaft /5	44.00
23 21 1 230 079	Washer	.45
23 21 1 230 080	Washer	.70
23 21 1 230 081	Bushing	4.00
23 21 1 230 082	Coupling	20.00
23 21 1 230 084	Nut	1.95
23 21 1 230 085	Gear	26.00
23 21 1 230 089	Washer	.95
23 21 1 230 106	Clutch Rod	7.10
23 21 1 230 107	Race	5.40
23 21 1 230 440	Felt	.30
23 21 1 230 445	Bushing	3.20
23 21 1 230 446	Bushing	4.20
23 21 1 230 447	Washer	.55
23 21 1 230 448	Shim .38	.50
23 21 1 230 449	Shim .50	.50
23 21 1 230 450	Shim .75	.50
23 21 1 230 451	Shim .88	.50
23 21 1 230 452	Shim 1mm	.50
23 21 1 230 454	Coupling	8.80
23 21 1 230 455	Shaft	36.00
23 21 1 230 660	Clip	.60
23 21 1 230 961	Bearing	3.50
23 21 1 230 962	Race	3.10
23 21 1 230 966	Shim 0.18	.50
23 21 1 230 967	Shim 0.28	.50
23 21 1 230 968	Shim 0.38	.50
23 21 1 230 969	Shim 0.50	.50
23 21 1 231 188	Washer	.50
23 21 1 231 303	Spring	1.85
23 21 1 231 363	Shim 0.63	.50
23 21 1 231 392	Bushing	3.25
23 21 1 231 393	Washer	.60
23 21 1 231 651	Shim 0.20	.50
23 21 1 231 652	Shim 0.28	.50
23 21 1 231 653	Shim 0.38	.50
23 21 1 231 654	Shim 0.50	.50
23 21 1 231 655	Shim 0.63	.50
23 21 1 231 656	Shim 0.75	.50
23 21 1 231 657	Shim 0.88	.50
23 21 1 231 658	Shim 1mm	.50
23 21 1 232 550	Washer 0.44	.50
23 21 1 232 552	Washer 0.75	.50
23 22 1 020 120	Gear R25 to R27	26.50
23 22 1 020 245	Gear R50 to R69S	26.50
23 22 1 030 112	Washer	.50
23 22 1 030 146	Gear 2nd Speed	28.00
23 22 1 030 147	Gear 2nd Speed	28.00
23 22 1 030 150	Gear 3rd Speed	27.00
23 22 1 030 153	Gear 4th Speed	27.00

23 22 1 030 154	Gear 3rd Speed	27.00
23 22 1 030 165	Speedo Gear R50 to R69S	15.75
23 22 1 030 176	Bushing	5.25
23 22 1 030 242	Gear 1st Speed	29.30
23 22 1 030 246	Gear 1st Speed	26.50
23 22 1 030 249	Gear 3rd Speed R51/3 to R68	27.00
23 22 1 030 253	Gear 4th Speed R51/3 to R68	27.00
23 22 1 030 257	Bushing R51/3 to R68	4.05
23 22 1 030 259	Bushing 1st Gear R50 to R69S	4.05
23 22 1 030 261	Bushing 2nd & 3rd R51/3 to R68	4.25
23 22 1 030 262	Bushing 2nd & 3rd R50 to R69S	7.30
23 22 1 030 264	Bushing 4th Speed R51/3 to R68	4.25
23 22 1 030 266	Bushing 4th Speed R50 to R69S	4.15
23 22 1 040 104	Washer	.65
23 22 1 040 108	Gear	27.00
23 22 1 056 104	Starter Gear /2 - /5	18.50
23 22 1 056 108	Starter Gear /2 - /5	16.50
23 22 1 230 058	Speedo Drive Gear /5	18.95
23 22 1 230 060	Gear 4th Speed /5	27.00
23 22 1 230 062	Gear 3rd Speed /5	27.00
23 22 1 230 064	Gear 2nd Speed /5	27.00
23 22 1 230 066	Gear 1st Speed /5	28.00
23 22 1 230 068	Cluster Gear /5	53.00
23 22 1 230 205	Gear Set Sport /5	185.00
23 31 1 006 122	Gasket R25 to R27	.75
23 31 1 006 138	Pin R26 R27	1.20
23 31 1 006 142	Pin	2.50
23 31 1 006 152	Neutral Indicator	5.50
23 31 1 006 158	Contact Bolt	4.75
23 31 1 006 162	Washer /5	1.05
23 31 1 006 166	Washer	.45
23 31 1 030 140	Shifter Dog R50 to R69S	18.50
23 31 1 030 228	Shifter 1st & 2nd R51/3 to R68	22.65
23 31 1 030 232	Shifter 3rd & 4th R51/3 to R68	20.85
23 31 1 066 126	Shifter Dog R25/3 to R27	4.50
23 31 1 066 130	Spring	.75
23 31 1 066 131	Spring	.85
23 31 1 066 134	Washer	.20
23 31 1 066 138	Spacer	1.65
23 31 1 066 142	Retainer	1.65
23 31 1 066 146	Retainer Clip	.50
23 31 1 066 150	Spring	.95
23 31 1 066 155	Washer 0.5	.20
23 31 1 066 156	Washer 1mm	.20
23 31 1 066 157	Washer 1.5mm	.20
23 31 1 066 158	Bolt	.95
23 31 1 066 162	Use 23 31 1 230 086	
23 31 1 066 170	Retainer Plate	.95

SUGGESTED LIST

23 31 1 066 174	Contact	.30
23 31 1 066 186	Washer	.40
23 31 1 066 193	Shift Shaft R26 R27	28.50
23 31 1 066 196	Ratchet R25/3 to R27	21.50
23 31 1 066 199	Shift Cam R25/3 to R27	21.50
23 31 1 066 204	Shift Fork R51/3 to R68	21.50
23 31 1 066 206	Shift Fork R50 to R69S	23.85
23 31 1 066 239	Shift Quadrant	19.95
23 31 1 066 248	Shift Dog	26.50
23 31 1 066 256	Shift Lock	4.50
23 31 1 066 259	Shift Lock	3.90
23 31 1 066 268	Shift Shaft R50 to R69S	28.50
23 31 1 066 274	Ratchet R50 to R69S	21.50
23 31 1 066 275	Ratchet	21.50
23 31 1 066 290	Lock	.30
23 31 1 230 086	Bushing	5.95
23 31 1 230 092	Shift Cam Plate	25.00
23 31 1 230 093	Plate	.65
23 31 1 230 094	Bolt	.60
23 31 1 230 098	Contact Spring	1.85
23 31 1 230 100	Shift Fork	27.50
23 31 1 230 102	Neutral Indicator	4.75
23 31 1 230 687	Shim 0.5	.20
23 31 1 230 688	Shim 1mm	.20
23 31 1 230 689	Shim 1.5mm	.20
23 31 1 230 935	Bolt	.60
23 31 1 231 258	Spacer	.50
23 31 1 231 259	Bushing	2.25
23 41 1 066 102	Pinch Bolt	1.80
23 41 1 066 178	Shift Rubber	.85
23 41 1 066 245	Foot Shift Lever /2 - /5	15.00
23 41 1 066 286	Washer 0.5	.30
23 41 1 230 811	Shim 1mm	.45
23 41 1 230 812	Shim 0.75	.45
23 41 1 230 813	Shim 0.5	.45
23 41 1 232 116	Shift Rubber	.85
23 41 1 666 124	Shim	.20
23 51 1 006 135	Seal R50 to R69S	2.25
23 51 1 020 160	Spline R50 to R69S	13.50
23 51 1 056 025	Starter Shaft R51/3 to R68	29.20
23 51 1 056 102	Starter Shaft R26 R27	29.20
23 51 1 056 110	Axle R27	2.25
23 51 1 056 112	Starter Spring	1.85
23 51 1 056 116	Starter Spring	.40
23 51 1 056 120	Starter Lever	16.00
23 51 1 056 122	Starter Lever 12 Volt	16.00
23 51 1 056 124	Wedge Bolt	1.75

23 51 1 056 204	Wedge Bolt R51/3 to R68	2.70
23 51 1 056 225	Starter Spring R51/3 to R68	1.85
23 51 1 056 274	Starter Gear & Shaft	32.50
23 51 1 230 055	Starter Lever	16.75
23 51 1 232 268	Starter Gear & Shaft	32.50
23 51 4 034 153	Bumper R25 to R27	3.65
23 51 4 034 257	Bumper R51/3 to R69S	3.65
23 71 4 034 127	Support Left R27	2.00
23 71 4 034 128	Support Right R27	2.00
23 71 4 034 131	Support R27	7.60
26 11 1 230 284	Drive Shaft /5	89.00
26 11 1 230 305	Coupling /5	25.90
26 11 1 230 414	Bolt	.75
26 11 1 232 941	Drive Shaft Long /5	92.00
26 11 3 004 210	Clamp Bolt R51/3 to R68	3.15
26 11 3 004 214	Bushing R51/3 to R68	3.50
26 11 3 004 370	Seal 51/3 to R68	3.90
26 11 3 038 034	Drive Shaft R50 to R69S	92.00
26 11 3 038 120	Nut R16 R27	3.35
26 11 3 038 122	Washer	.24
26 11 3 038 126	Shim 1mm	.45
26 11 3 038 128	Shim 3mm	.45
26 11 3 038 142	Nut R26 R27	4.05
26 11 3 038 144	Washer R25 to R27	.40
26 11 3 038 179	Retainer Ring R26 R27	4.50
26 11 3 038 186	Flange R26 R27	27.00
26 11 3 038 200	Drive Shaft	52.00
26 11 3 038 220	Washer	.10
26 11 3 038 225	Boot R50 to R69S	4.60
26 11 3 038 238	Coupling R50 to R69S	25.90
26 11 3 038 274	Flange R51/3 to R68	27.00
26 11 3 038 281	Ring Nut R51/3 to R68	7.20
26 11 3 038 476	Coupling R25 to R68	8.30
26 12 1 030 541	Seal R26 R27	2.60
31 12 2 624 120	Nut	.55
31 32 2 054 233	Shock R51/3 to R68	15.95
31 32 9 196 902	Fork Oil	6.10
31 35 2 654 108	Spacer Tube R26 R27	.85
31 41 1 231 196	Shim 1mm	.45
31 41 1 231 197	Shim 1.5mm	.45
31 41 1 231 198	Shim 2mm	.45
31 41 1 231 199	Shim 2.5mm	.45

31 41 1 231 201	Washer 1.5mm	.45
31 41 1 231 203	Washer 2.5mm	.45
31 41 2 000 014	Front Fork R26	348.00
31 41 2 000 016	Front Fork R27	348.00
31 41 2 000 020	Front Fork R50 R60 R69	390.00
31 41 2 000 022	Front Fork R50S R69S	398.00
31 41 2 000 048	Damper Bolt R50 to R69	15.75
31 41 2 000 101	Nut	2.75
31 41 2 000 124	Upper Yoke R26	14.20
31 41 2 000 126	Upper Yoke R50 to R69S	10.80
31 41 2 000 129	Upper Yoke R27	8.50
31 41 2 000 184	Dust Cap	1.20
31 41 2 000 188	Race R51/3 to R69S	4.65
31 41 2 000 190	Race R51/3 to R69S	4.65
31 41 2 000 193	Retainer R51/3 to R69S	.80
31 41 2 000 217	Damper Plate R50 to R69S	7.50
31 41 2 000 220	Damper Plate R26	7.50
31 41 2 000 231	Damper Plate R26 to R69S	4.65
31 41 2 000 235	Damper Lining	2.65
31 41 2 000 295	Screw	2.25
31 41 2 000 299	Plug R26 to R69S	.30
31 41 2 000 306	Headlite Bracket Left	7.15
31 41 2 000 314	Headlite Bracket Right	7.15
31 41 2 000 320	Swingarm Bolt R26 to R69S	19.65
31 41 2 000 324	Cone R26 to R69S	2.40
31 41 2 000 328	Nut R26 to R69S	1.80
31 41 2 000 329	Washer 1.5mm	.40
31 41 2 000 331	Seal	1.75
31 41 2 000 334	Plug R26 to R69S	.50
31 41 2 000 336	Rubber Spacer R26 to R69S	1.05
31 41 2 000 338	Rubber Spacer R26 to R69S	.95
31 41 2 000 340	Spacer R26 to R69S	.30
31 41 2 000 343	Bolt R26 to R69S	3.10
31 41 2 000 345	Washer R26 to R69S	.65
31 41 2 000 347	Plate R26 to R69S	.85
31 41 2 000 350	Fork Main Part R26 R27	165.00
31 41 2 000 358	Swingarm R26 R27	77.00
31 41 2 000 364	Fork Main Part R50 to R69S	182.00
31 41 2 000 370	Swingarm R50 to R69S	77.00
31 41 2 000 372	Headlight Bracket Set R26 to R69S	15.80
31 41 2 000 404	Fork Tube R51/3 to R68	54.80
31 41 2 000 408	Bushing R51/3 to R68	16.50
31 41 2 002 126	Shock Cover R26 to R69S	10.50
31 41 2 002 132	Shock Cover R26 to R69S	7.40
31 41 2 002 207	Use 31 41 2 054 206	
31 41 2 054 006	Fork Spring R26 R27	10.90
31 41 2 054 007	Fork Spring R50 to R69S	10.90
31 41 2 054 009	Fork Spring S.C. R50 to R69S	10.90
31 41 2 054 012	Cpl.Front Shock R26 R27	68.00
31 41 2 054 016	Cpl.Front Shock R50 to R69	68.00
31 41 2 054 025	Cpl.Front Shock R50S R69S	68.00

31 41 2 054 031	Shock R26 R27	23.55
31 41 2 054 200	Shock Retainer R26 to R69S	21.55
31 41 2 054 206	Shock Retainer R26 to R69S	20.55
31 41 2 054 232	Shock R50 to R69S	23.50
31 41 2 054 234	Bushing R26 to R69S	1.95
31 41 2 054 252	Fork Spring R51/3 to R68	10.90
31 41 2 054 282	Spacer R51/3 to R68	.60
31 41 2 054 528	Spacer R26 to R69S	.45
31 42 1 230 001	Seal /5	3.45
31 42 1 230 467	Damper Knob /5	5.75
31 42 1 230 470	Damper Plate /5	3.90
31 42 1 230 471	Damper Plate /5	1.40
31 42 1 230 478	Nut /5	6.60
31 42 1 230 485	Tele Fork Cpl. /5	445.00
31 42 1 230 577	Lower Fork Yoke /5	45.50
31 42 1 230 588	Support Ring	.65
31 42 1 230 664	Fork Spring	9.80
31 42 1 230 665	T.S.Bracket Left /5	5.95
31 42 1 230 666	T.S.Bracket Right /5	5.95
31 42 1 230 696	Rubber Ring 4mm	.45
31 42 1 230 697	Rubber Ring 5mm	.45
31 42 1 230 698	Rubber Ring 6mm	.45
31 42 1 230 751	Bumper	1.25
31 42 1 230 799	Boot Clamp	.85
31 42 1 231 014	Headlite Bracket Left	9.80
31 42 1 231 018	Headlite Bracket Right	9.80
31 42 1 231 274	Headlite Bracket Left 1972 on	9.80
31 42 1 231 278	Headlite Bracket Right 1972 on	9.80
31 42 1 231 358	Fork Spring /5	9.80
31 42 1 232 017	H.D. Fork Spring /5	9.80
31 42 1 232 045	Spacer	1.30
31 42 1 232 046	Threaded Nut	1.85
31 42 1 232 052	Shock	33.85
31 42 1 232 054	Retainer	5.25
31 42 1 232 057	Spring	.20
31 42 1 232 058	Valve	2.70
31 42 1 232 059	Ring	.45
31 42 1 232 060	Bolt	5.25
31 42 1 232 061	Spring	.20
31 42 1 232 183	Plate	3.95
31 42 1 232 188	Clamp	1.05
31 42 1 232 191	Angle	4.50
31 42 1 232 193	Damper	22.50
31 42 1 232 342	Damper Kit	
31 42 1 232 343	Nut	2.40
31 42 1 232 426	Seal Ring	.25
31 42 2 000 049	Damper Bolt R50 R69S	15.75
31 42 2 000 050	Tele Fork R50 to R69S US	375.00
31 42 2 000 110	Cap	5.50

SUGGESTED LIST

31 42 2 000 114	Cap	5.50
31 42 2 000 182	Nut	5.10
31 42 2 000 199	Headlite Bracket Right R25/3	7.50
31 42 2 000 205	Headlite Bracket Left R25/3	7.50
31 42 2 000 227	Damper Plate R50 to R69S US	4.20
31 42 2 000 228	Lining R50 to R69S US	1.35
31 42 2 000 245	Lock	.55
31 42 2 000 255	Bolt R51/3 to R69S	2.45
31 42 2 000 257	Rubber Spacer R51/3 to R69S	.45
31 42 2 000 261	Fork Boot R25/2	2.90
31 42 2 000 282	Bracket	9.60
31 42 2 000 285	Seal R25/3	4.35

31 42 2 000 310	Cap	4.95
31 42 2 000 311	Clamp Ring	7.35
31 42 2 000 312	Cover	1.20
31 42 2 000 315	Ring Nut	5.60
31 42 2 000 349	Upper Yoke	22.00
31 42 2 000 360	Retainer	5.25
31 42 2 000 367	Bolt	5.25
31 42 2 000 371	Ring	.45
31 42 2 000 373	Spring	.20
31 42 2 000 374	Spring	.20
31 42 2 000 375	Fork Yoke R50 to R69S US	36.00
31 42 2 000 376	Fork Tube US /5	46.00
31 42 2 000 377	Fork Leg Left	46.00
31 42 2 000 378	Fork Leg Right	46.00
31 42 2 000 380	Plug	7.50
31 42 2 000 381	Cap	.40
31 42 2 000 382	Shock	33.85
31 42 2 000 383	Orifice	3.90
31 42 2 000 384	Sleeve	.80
31 42 2 000 385	O Ring	.60
31 42 2 000 390	Retainer	7.40
31 42 2 000 391	Bracket	9.95
31 42 2 000 392	Bracket	7.95
31 42 2 000 393	Race R50 to R69S US	7.40
31 42 2 000 394	Nut R50 to R69S US	3.85
31 42 2 000 395	Damper Plate R50 to R69S US	4.20
31 42 2 000 396	Screw R50 to R69S US	17.75
31 42 2 000 399	Spacer Tele Fork	.90
31 42 2 000 426	Seal R51/3 to R68	3.75
31 42 2 002 115	Fork Boot Tele Fork	6.75
31 42 2 054 071	Damper R50S R69S	19.95
31 42 2 054 217	Plate R50S R69S	.45
31 42 2 054 218	Guide Ring R50S R69S	.75
31 42 2 054 219	Spacer R50S R69S	.45
31 42 2 054 220	Bracket R50S R69S	7.50
31 42 2 054 221	Clamp R50S R69S	3.50
31 42 2 054 222	Plate R50S R69S	3.40
31 42 2 054 226	Lever R50S R69S	8.95
31 42 2 054 227	Pivot R50S R69S	7.95
31 42 2 054 271	Brace R50S R69S	12.50
31 42 2 054 272	Stud R50S R69S	2.50
31 42 2 054 283	Spacer R50S R69S	.50
31 42 2 054 292	Fork Boot R51/3 to R68	8.35
31 42 2 054 294	Boot Strap R51/3 to R68	1.35
31 42 2 054 296	Spacer Set R51/3 to R68	4.05
32 21 2 077 718	Washer	.20
32 32 9 016 001	Lock Set R25/3	11.25
32 32 9 016 005	Lock Set R51/3 to R68	7.25
32 32 9 016 007	Fork Lock	7.25
32 32 9 016 009	Lock Set R50 to R69S	11.25
32 32 9 016 101	Lock Cover	1.05
32 32 9 016 104	Lock Spring	.20

SUGGESTED LIST

32 32 9 016 105	Key Blank 1961 on	.50
32 32 9 016 106	Key Blank up to 1960	.50
32 71 1 230 742	Handle Bar /5	25.00
32 71 1 231 663	Handle Bar	26.50
32 71 2 000 118	Spring	.45
32 71 2 072 036	Handle Bar /2	25.50
32 71 2 072 104	Handle Bar Clamp R25/3 to R27	14.50
32 71 2 072 145	Bolt R25/3 R26	3.75
32 71 2 072 146	Bolt R27	3.75
32 71 2 072 147	Spacer	.75
32 71 2 072 148	Spacer	.80
32 71 2 072 149	Washer	.40
32 71 2 072 189	Handle Bar	16.60
32 71 2 072 194	Rubber Ring	.40
32 71 2 072 288	Bolt R50 to R69S	3.05
32 71 2 072 302	Riser R68	16.75
32 71 2 072 306	Riser R50 to R69S	14.90
32 72 1 230 400	Throttle Assy. /5	29.85
32 72 1 230 401	Clutch Lever Assy. /5	19.95
32 72 1 230 404	Nipple	.65
32 72 1 230 407	Left Grip	1.50
32 72 1 230 412	Use 32 72 1 230 878	
32 72 1 230 866	Throttle Bracket	9.95
32 72 1 230 867	Throttle Sleeve with Grip	7.20
32 72 1 230 868	Right Grip	1.50
32 72 1 230 869	Brake Lever	6.65
32 72 1 230 870	Lever Pivot Screw	.55
32 72 1 230 871	Washer	.20
32 72 1 230 872	Throttle Cam	4.60
32 72 1 230 873	Cover	2.85
32 72 1 230 874	Lock Screw	2.25
32 72 1 230 875	Spring	.40
32 72 1 230 876	Adjuster	2.25
32 72 1 230 877	Clutch Lever Bracket	9.45
32 72 1 230 878	Switch Bracket	3.10
32 72 1 231 150	Clutch Lever	6.65
32 72 1 231 357	Throttle Kit R50 to R69S	11.65
32 72 1 231 461	Retainer R50 to R69S	1.30
32 72 1 231 610	Felt	.50
32 72 1 232 464	Cover	3.60
32 72 2 072 175	Turn Signal Bracket	1.95
32 72 2 072 176	Screw	.35
32 72 2 072 179	Plug	.70
32 72 2 072 181	Switch Adapter	3.10
32 72 2 072 183	Switch Adapter	3.20
32 72 2 072 217	Pivolt Bolt R51/3 to R69	.75
32 72 2 072 219	Screw	.35
32 72 2 072 220	Plug	.20
32 72 2 072 221	Cable Adjuster	.95

32 72 2 072 223	Wedge	.60
32 72 2 072 226	Clutch Lever R50 to R69S	6.65
32 72 2 072 250	Brake Lever R50 to R69S	6.65
32 72 2 072 259	Screw	.35
32 72 2 072 261	Washer	.40
32 72 2 072 263	Throttle Cover R26 R27	2.25
32 73 1 230 034	Brake Cable /5	5.45
32 73 1 230 035	Brake Cable /5	5.45
32 73 1 230 036	Boot	1.00
32 73 1 230 037	Dust Cover	.50
32 73 1 230 038	Dust Cover	.75
32 73 1 230 040	Cable Retainer	1.85
32 73 1 230 041	Clutch Cable Low H'Bar	5.45
32 73 1 230 042	Clutch Cable	5.55
32 73 1 230 776	Throttle Cable Low Bar R50/5 R60/5	3.50
32 73 1 230 778	Throttle Cable Low Bar R75/5	6.00
32 73 1 230 779	Washer	.35
32 73 1 230 790	Throttle Cable R50/5 R60/5	3.75
32 73 1 230 791	Throttle Cable R75/5	6.00
32 73 1 230 840	Adj. Screw	1.75
32 73 1 230 934	Adj. Nut	.20
32 73 1 230 976	Clip for Brake Cable	.35
32 73 1 232 416	Throttle Cable	6.00
33 10 1 230 542	Rear Drive Cpl. R60/5	298.00
33 10 1 230 546	Rear Drive Cpl. R50/5	298.00
33 10 1 230 547	Rear Drive Cpl. R75/5	298.00
33 10 1 232 669	Nut 16 x 1.5	
33 10 3 004 031	Rear Drive Cpl. 25 x 8 R50 to R69S	298.00
33 10 3 004 034	Rear Drive Cpl. 26 x 6 S.C. R69S	298.00
33 10 3 004 056	Rear Drive Cpl. R50 to R69S	298.00
33 11 1 230 232	Rear Drive Housing /5	98.00
33 11 1 230 235	Rear Drive Housing Cover	24.50
33 11 1 230 238	Gasket	.30
33 11 1 230 350	Bushing	3.10
33 11 3 004 100	Housing R26 R27	76.00
33 11 3 004 112	Housing Cover R26 R27	24.00
33 11 3 004 140	Seal R26 R27	4.10
33 11 3 004 162	Gasket R26 R27	.40
33 11 3 004 302	Housing 1954 R51/3 to R68	72.00
33 11 3 004 306	Housing R50 to R69S	89.50
33 11 3 004 307	Cover	.55
33 11 3 004 308	Cover	1.25
33 11 3 004 310	Housing Cover R50 to R69S	36.75
33 11 3 004 317	Pin R50 to R69S	3.60
33 11 3 004 320	Gasket R50 to R69S	.50

SUGGESTED LIST

33 11 3 004 360	Gasket	R51/3 to R68	.50
33 11 3 004 382	Race	R51/3 to R68	18.90
33 11 3 038 170	Dust Cover	R51/3 to R68	1.20
33 11 3 038 196	Seal	R51/3 to R68	.90
33 11 3 038 288	Wedge Bolt	R51/3 to R68	3.05
33 11 3 038 296	Needle	R51/3 to R68	.25
33 11 3 038 298	Race	R51/3 to R68	3.55
33 12 0 034 190	Needle		.25
33 12 1 230 244	Needle Bearing		7.60
33 12 1 230 247	Bearing		19.75
33 12 1 230 255	Hub		21.00
33 12 1 230 256	Lock		.30
33 12 1 230 257	Bushing		5.10
33 12 1 230 259	Pin		.25
33 12 1 230 353	Spacer		1.15
33 12 1 230 355	Ring Nut		7.60
33 12 1 230 356	Seal		3.10
33 12 1 230 525	Shim		.85
33 12 1 230 527	Thrust Ring	1.8	4.50
33 12 1 230 528	Thrust Ring	2	4.50
33 12 1 230 529	Thrust Ring	2.2	4.50
33 12 1 230 530	Thrust Ring	2.3	4.50
33 12 1 230 531	Thrust Ring	2.4	4.50
33 12 1 230 532	Thrust Ring	2.5	4.50
33 12 1 230 533	Thrust Ring	2.6	4.50
33 12 1 230 535	Shim	0.1	.55
33 12 1 230 536	Shim	0.2	.55
33 12 1 230 537	Shim	0.3	.55
33 12 1 230 538	Shim	0.5	.55
33 12 1 230 539	Shim	0.6	.55
33 12 1 230 540	Shim	0.7	.55
33 12 1 230 541	Shim	0.8	.55
33 12 1 230 717	Shim	1.50	2.35
33 12 1 230 718	Shim	1.55	2.35
33 12 1 230 719	Shim	1.60	2.35
33 12 1 230 720	Shim	1.65	2.35
33 12 1 230 721	Shim	1.70	2.35
33 12 1 230 722	Shim	1.75	2.35
33 12 1 230 723	Shim	1.80	2.35
33 12 1 230 724	Shim	1.85	2.35
33 12 1 230 725	Shim	1.90	2.35
33 12 1 230 726	Shim	1.95	2.35
33 12 1 230 727	Shim	2.0	2.35
33 12 1 230 728	Shim	2.05	2.35
33 12 1 230 729	Shim	2.10	2.35
33 12 1 230 730	Shim	2.15	2.35
33 12 1 230 731	Shim	2.20	2.35
33 12 1 230 732	Shim	2.25	2.35
33 12 1 230 733	Shim	2.30	2.35
33 12 1 230 734	Shim	2.35	2.35
33 12 1 230 735	Shim	2.40	2.35
33 12 1 230 736	Shim	2.45	2.35
33 12 1 230 737	Shim	2.50	2.35

33 12 1 230 805	Ring & Pinion 3.36 R60/5	123.00
33 12 1 230 806	Ring & Pinion 2.91 R75/5	123.00
33 12 1 230 808	Ring & Pinion 3.56 R50/5	123.00
33 12 1 230 809	Ring & Pinion 4.25	132.00
33 12 1 231 160	Ring & Pinion 3.2 R75/5	123.00
	#2 973 204 on	
33 12 1 231 189	Shim 0.20 R51/3 to R69S	.60
33 12 1 231 190	Shim 0.28	.60
33 12 1 231 191	Shim 0.38	.60
33 12 1 231 192	Shim 0.50	.60
33 12 1 231 193	Shim 0.63	.60
33 12 1 231 194	Shim 0.75	.60
33 12 1 231 195	Shim Imm	.60
33 12 1 231 238	Thrust Ring 1.9	4.50
33 12 1 231 239	Thrust Ring 2.1	4.50
33 12 1 232 063	Ring & Pinion 3.09	132.00
33 12 1 232 927	Locating Pin	.30
33 12 3 004 106	Shim R26 R27	.55
33 12 3 004 166	Spacer Tube R26 R27	7.10
33 12 3 004 172	Spacer Tube R26 R27	.50
33 12 3 004 188	Seal R26 R27	3.25
33 12 3 004 334	Spacer Tube R50 to R69S	7.50
33 12 3 004 337	Seal R50 to R69S	2.65
33 12 3 004 338	Bearing R50 to R69S	19.75
33 12 3 004 343	Seal R50 to R75/5	3.85
33 12 3 010 150	Ring & Pinion R51/3 to R68	85.50
33 12 3 010 156	Ring & Pinion R67	85.50
33 12 3 010 160	Ring & Pinion R50 to R69S US	123.00
33 12 3 010 172	Ring & Pinion R50 to R69S	123.00
33 12 3 010 173	Ring & Pinion R50	123.00
33 12 3 010 181	Ring & Pinion R50 to R69S	123.00
33 12 3 010 185	Ring & Pinion 27 x 7 SC R60	123.00
33 12 3 038 105	Clip R25 to R68	.50
33 12 3 038 113	Spacer R25 to R25/3	1.50
33 12 3 038 130	Ring nut R26 R27	7.15
33 12 3 038 146	Gear R26 R27	21.00
33 12 3 038 150	Bearing	10.50
33 12 3 038 159	Nut R26 R27	5.95
33 12 3 038 163	Rubber R26 R27	1.05
33 12 3 038 187	Ring & Pinion 27 x 6 R27	100.00
33 12 3 038 188	Ring & Pinion 25 x 6 R26 R27	120.00
33 12 3 038 191	Ring & Pinion R25/2	117.00
33 12 3 038 244	Needle	.25
33 12 3 038 245	Needle Bearing R50 to R69S	10.50
33 12 3 038 248	Washer R50 to R69S	.60
33 12 3 038 252	Ring nut R50 to R69S	10.50
33 12 3 038 257	Seal R50 to R69S	2.85
33 12 3 038 260	Gear R50 to R69S	21.00

SUGGESTED LIST

33 12 3 038 264	Lock R50 to R69S	.50
33 12 3 038 350	Shim 0.2 R26 R27	.40
33 12 3 038 352	Shim 0.28 R26 R27	.40
33 12 3 038 354	Shim 0.38	.40
33 12 3 038 356	Shim 0.5	.40
33 12 3 038 358	Shim 0.75	.40
33 17 1 230 287	Gasket	.20
33 17 1 230 296	Dust cap	.75
33 17 1 230 297	Boot Clamp	.95
33 17 1 230 301	Pivot Pin	5.50
33 17 1 230 304	Boot	3.10
33 17 1 231 010	Swing arm Short /5	108.00
33 17 1 232 955	Swing arm Long /5	114.00
33 21 3 038 183	Coupling Ring R51/2 to R68	5.75
33 21 3 038 278	Seal R51/2 to R68	3.95
33 41 1 230 303	Rear Axle /5	23.50
33 41 1 232 709	Washer	
33 41 2 002 166	Headlight Bracket Right R51/3 to R68	10.40
33 41 2 002 170	Headlight Bracket Left R51/3 to R68	10.40
33 52 3 054 091	Rear Shock R26 R27	
33 52 3 054 290	Rear Shock R50 to R69S	
33 52 3 060 244	Upper Brake Shoe R50 to R69S	24.00
33 52 3 060 248	Lower Brake Shoe R50 to R69S	24.00
33 53 1 230 249	Bolt	.65
33 53 1 230 258	Lower Shock Bushing	1.95
33 53 1 230 272	Adjuster Left	3.10
33 53 1 230 273	Adjuster Right	3.10
33 53 1 230 274	Rear Shock /5	29.75
33 53 1 230 276	Bushing	1.20
33 53 1 230 277	Upper Shock Cover	6.35
33 53 1 230 279	Upper Shock Retainer	9.90
33 53 1 230 280	Bumper	.40
33 53 1 230 281	Rear Shock Spring	7.50
33 53 1 230 282	Guide Ring	.85
33 53 1 230 359	Grip	1.35
33 53 1 230 363	Adjusting Handle	1.95
33 53 1 231 498	H.D. Rear Shock	32.75
33 53 1 231 893	H.D. Rear Shock Spring	15.75
33 53 1 231 894	H.D. Shock Cpl. Right	95.00
33 53 1 231 895	H.D. Shock Cpl. Left	95.00

33 53 3 054 009	Rear Shock Cpl.Left R26 R27	76.00
33 53 3 054 013	Rear Shock Cpl.Right R26 R27	76.00
33 53 3 054 028	Rear Shock Spring R51/2 to R68	9.75
33 53 3 054 034	Rear Shock Left R50 to R69S	83.00
33 53 3 054 035	Rear Shock Right R50 to R69S	83.00
33 53 3 054 138	Cover R25/3	5.25
33 53 3 054 160	Swing Arm R26 R27	88.00
33 53 3 054 168	Plate	.55
33 53 3 054 171	Pivot Pin R26 to R69S	5.20
33 53 3 054 172	Cap Nut for Swing Arm R26 to R69S	4.60
33 53 3 054 174	Nut	1.35
33 53 3 054 176	Bolt R50 to R69S	4.60
33 53 3 054 182	Shock Retainer R26 R27	15.15
33 53 3 054 183	Shock Retainer R26 R27	15.15
33 53 3 054 184	Rear Spring R26 R27	8.45
33 53 3 054 194	Shock Adjuster R50 to R69S	15.15
33 53 3 054 204	Rubber	.55
33 53 3 054 208	Rubber	.55
33 53 3 054 210	Rubber Plate	.60
33 53 3 054 212	Upper Shock Cap	4.60
33 53 3 054 215	Bumper R51/3 to R68	.90
33 53 3 054 225	Bolt R26 R27	2.50
33 53 3 054 229	Washer R26 to R69S	.20
33 53 3 054 240	Shock Cover R26 to R69S	5.75
33 53 3 054 260	Swing Arm R50 to R69S	111.00
33 53 3 054 266	Gasket R50 to R69S	.20
33 53 3 054 270	Bolt R26 to R69S	1.65
33 53 3 054 274	Washer	.65
33 53 3 054 282	Shock Retainer Left R50 to R69S	16.95
33 53 3 054 283	Shock Retainer Right R50 to R69S	16.95
33 53 3 054 284	Rear Spring R50 to R69S	11.50
33 53 3 054 286	Rear Spring SC R50 to R69S	11.50
33 53 3 054 296	Bushing R50 to R69S	1.95
33 53 3 054 312	Bushing R51/3 to R68	3.50
33 53 3 060 207	Brake Lever R50 to R69S	15.75
34 11 1 230 005	Front Brake Shoe /5	9.75
34 11 1 230 010	Adjuster	4.40
34 11 1 230 011	Brake Lever	7.15
34 11 1 230 016	Brake Cam Lower	7.50
34 11 1 230 018	Brake Cam Upper	7.50
34 11 1 230 020	Return Spring Upper	.85
34 11 1 230 024	Front Brake Plate /5	36.75
34 11 2 060 103	Brake Shoe R25/3 to R27	12.95
34 11 2 060 104	Brake Cam R25/3 to R27	13.00
34 11 2 060 116	Brake Plate R25/3 to R27	29.40
34 11 2 060 117	Brake Spring R25/3 to R27	.20
34 11 2 060 121	Adj. Screw R51/3 to R68	2.75
34 11 2 060 130	Brake Lining R25 R25/2	2.05
34 11 2 060 132	Brake Lining R25/3 to R27	2.50
34 11 2 060 134	Brake Spring R25 to R27	.50

SUGGESTED LIST

34 11 2 060 139	Bolt R27	1.55
34 11 2 060 167	Adj. Bolt R50 to R69S	4.15
34 11 2 060 170	Dust Cover R25/3 to R27	1.95
34 11 2 060 178	Nut	.85
34 11 2 060 182	Retainer R50 to R69S	1.35
34 11 2 060 202	Front Brake Shoe R50 to R69S	18.50
34 11 2 060 206	Brake Cam R50 to R69S	13.75
34 11 2 060 207	Brake Cam R50 to R69S	12.75
34 11 2 060 210	Brake Lever R50 to R69S	12.95
34 11 2 060 214	Brake Plate R50 to R69S	37.00
34 11 2 060 232	Brake Lining Twins 1950 to 1953	2.45
34 11 2 060 234	Brake Lining Twins 1954 - 1955	2.45
34 11 2 060 235	Brake Lining R50 to R69S	2.45
34 11 2 060 237	Brake Spring	1.40
34 11 2 060 259	Washer	.45
34 11 2 060 277	Brake Spring	1.40
34 11 2 060 335	Brake Plate R50 to R69S US	37.00
34 11 2 060 338	Brake Plate Holder US and /5	7.95
34 11 2 060 573	O Ring	.50
34 11 2 072 137	Brake Cable R25/3	4.05
34 11 2 072 236	Brake Cable R26 R27	4.05
34 11 2 072 346	Brake Cable R50 to R69S	6.15
34 21 1 230 264	Upper Rear Brake Shoe	14.95
34 21 1 230 265	Lower Rear Brake Shoe	14.95
34 21 1 230 358	Return Spring	.85
34 21 2 060 239	Brake Spring R50 to R69S	.95
34 21 3 060 102	Brake Cam R26 R27	18.50
34 21 3 060 107	Washer	.20
34 21 3 060 113	Brake Lever R26 R27	11.40
34 21 3 060 174	Washer	.30
34 21 3 060 206	Brake Lever R50 to R69S	13.50
34 21 3 060 216	Brake Cam R50 to R69S	17.50
34 21 3 060 240	Brake Shoe 1954 R51/3 to R68	19.60
34 21 4 044 003	Lever R25 to R25/3	7.10
34 21 4 044 115	Wing Nut	1.25
34 21 4 044 133	Spacer	.85
34 21 4 044 137	Brake Spring	.45
34 21 4 044 141	Cross Pin	1.65
34 21 4 044 218	Brake Spring R51/3 to R68	3.15
34 21 4 044 220	Brake Rod R51/3 to R68	6.15
34 32 4 066 130	Strap	.30
34 41 2 072 338	Brake Cable R51/3 to R67	4.05
35 21 1 230 043	Foot Brake Lever	24.00
35 21 1 230 221	Pin for Brake Lever	6.95
35 21 1 230 223	Foot Brake Rod	5.95
35 21 1 230 260	Rear Brake Cam	17.50
35 21 1 230 308	Brake Lever	7.90
35 21 1 230 360	Felt Seal	.20

35 21 1 231 067	Bolt	.95
35 21 1 232 137	Wing Nut	1.05
35 21 1 232 999	Brake Rod Long Frame	6.15
35 21 4 044 009	Foot Brake Lever R25/3	23.00
35 21 4 044 026	Foot Brake Lever R51/3 to R68	24.00
35 21 4 044 032	Foot Brake Lever R50 to R69S	17.85
35 21 4 044 127	Spring R26 R27	1.05
35 21 4 044 142	Ring	.20
35 21 4 044 151	Foot Brake Lever R27	23.00
35 21 4 044 154	Washer	.45
35 21 4 044 159	Foot Brake Rod R27	7.60
35 21 4 044 215	Brake Spring R50 to R69S	.95
35 21 4 044 225	Brake Rod R50 to R69S	6.95
35 21 4 044 226	Brake Lever R50 to R69S	11.50
35 21 4 044 229	Use 35 21 4 044 225	
35 21 4 044 234	Brake Lever R50 to R69S	11.50
35 21 4 044 258	Lever R50 to R69S	5.75
35 21 4 044 262	Connector R50 to R69S	2.35
35 21 4 044 266	Bushing R50 to R69S	.95
36 31 1 230 007	Sleeve	8.45
36 31 1 230 320	Spoke Rear Wheel	.55
36 31 1 230 321	Spoke Front Wheel	.55
36 31 1 230 322	Thrust Bushing Left	2.85
36 31 1 230 323	Inner Spacer	3.20
36 31 1 230 324	Outer Sleeve	2.25
36 31 1 230 325	Coupling	18.50
36 31 1 230 330	Hub	110.00
36 31 1 230 331	Hub	110.00
36 31 1 230 332	Hub	110.00
36 31 1 230 334	Seal	2.25
36 31 1 230 337	Cover	5.25
36 31 1 230 338	Hub Cap	9.50
36 31 1 230 347	Use 36 31 1 231 351	
36 31 1 230 348	Front Wheel Rim	35.00
36 31 1 230 430	Gasket	.30
36 31 1 230 551	Front Wheel Cpl.	195.00
36 31 1 230 552	Rear Wheel Cpl.	199.50
36 31 1 230 781	Spacer 6.3	.65
36 31 1 230 782	Spacer 6.35	.65
36 31 1 230 783	Spacer 6.4	.65
36 31 1 230 784	Spacer 6.45	.65
36 31 1 230 785	Spacer 6.5	.65
36 31 1 230 786	Spacer 6.55	.65
36 31 1 230 787	Spacer 6.6	.65
36 31 1 230 788	Spacer 6.7	.65
36 31 1 230 789	Spacer 6.8	.65
36 31 1 231 240	Spacer 6.65	.65
36 31 1 231 241	Spacer 6.75	.65
36 31 1 231 242	Spacer 6.85	.65
36 31 1 231 243	Spacer 6.9	.65
36 31 1 231 244	Spacer 6.95	.65
36 31 1 231 245	Spacer 7	.65

SUGGESTED LIST

36 31 1 231 246	Spacer 7.05	.65
36 31 1 231 247	Spacer 7.1	.65
36 31 1 231 248	Spacer 7.15	.65
36 31 1 231 249	Spacer 7.2	.65
36 31 1 231 351	Rear Wheel Rim	36.00
36 31 1 231 701	Seal	2.25
36 31 1 232 412	Balance 20 gr	
36 31 2 030 010	Wheel Hub R25/3 to R27	86.50
36 31 2 060 127	Front Axle R25/3	14.50
36 31 2 060 174	Axle Bushing R50 to R69S	6.75
36 31 2 060 227	Front Axle R26 to R69S	15.50
36 31 2 060 336	Front Axle US Fork & /5	16.00
36 31 2 060 337	Bushing R50 to R69S	5.95
36 31 3 004 158	Rear Axle R26 R27	15.50
36 31 3 004 168	Washer R26 R27	.95
36 31 3 004 368	Rear Axle R50 to R69S	19.95
36 31 3 004 378	Washer	1.25
36 31 4 038 014	Wheel Alloy Rim R25 to R27	155.00
36 31 4 038 031	Wheel Steel Rim R25 to R27	165.00
36 31 4 038 035	Wheel Alloy Rim R50 to R69S	199.50
36 31 4 038 039	Wheel Steel Rim R50 to R69S	199.50
36 31 4 038 040	Wheel Steel S.C.R50 to R69S	199.50
36 31 4 038 108	Spoke Short R25/2	.55
36 31 4 038 110	Spoke Long R25/2	.55
36 31 4 038 111	Spoke 3.5mm R25/3	.55
36 31 4 038 116	Alloy Rim R25/3 to R27	35.00
36 31 4 038 127	Spacer R25/3 to R27	4.50
36 31 4 038 131	Spacer R25/3 to R27	2.65
36 31 4 038 142	Cone Right R25/3 to R27 - /5	1.85
36 31 4 038 143	Cone Left R25/3 to R27	4.05
36 31 4 038 155	Felt R25/3 to R27 - /5	.40
36 31 4 038 157	Dust Cap R25/3 to R27 - /5	1.35
36 31 4 038 160	Nut R25/2	5.50
36 31 4 038 162	Nut R25/3 to R27	5.50
36 31 4 038 165	Hub Cover R25/3 to R27	4.05
36 31 4 038 173	Spoke Retainer All 1954 on	.45
36 31 4 038 179	Wheel Bearing R25/3	9.00
36 31 4 038 181	Bolt	.25
36 31 4 038 201	Spoke Short R51/3 to R68 to 1953	.65
36 31 4 038 203	Spoke Long R51/3 to R68 to 1953	.65
36 31 4 038 204	Spoke R50 R69 1955	.55
36 31 4 038 208	Spoke R51/3 to R68 1954 Full Hub	.55
36 31 4 038 209	Spoke S.C. R50 to R69S Rear Wheel	.55
36 31 4 038 213	Alloy Rim R50 to R69S	33.00
36 31 4 038 217	Steel Rim R50 to R69S	36.00
36 31 4 038 222	Spoke 4mm R26 to R69S	.55
36 31 4 038 225	Spacer R50 to R69S	3.45
36 31 4 038 229	Spacer R50 to R69S	2.55
36 31 4 038 230	Seal R50 to R69S	3.15
36 31 4 038 241	Cone Right R50 to R69S	2.55
36 31 4 038 243	Cone Left R50 to R69S	2.55
36 31 4 038 253	Felt Retainer R51/3 to R68	.85

36 31 4 038 255	Felt Retainer R50 to R69S	.60
36 31 4 038 259	Felt R51/3 to R69S	.50
36 31 4 038 263	Spring Washer R50 to R69S	.50
36 31 4 038 267	Shim R50 to R69S	.30
36 31 4 038 270	Wheel Nut R51/3 to R68	6.50
36 31 4 038 272	Wheel Nut R50 to R69S	6.95
36 31 4 038 275	Hub Cap R50 to R69S	4.95
36 31 4 038 282	Nipple R51/3 to R68 to 1953	.45
36 31 4 038 291	Balance 10 gr.	2.75
36 31 4 038 292	Balance 15 gr.	2.75
36 31 4 038 323	Steel Rim R51/3 to R68 to 1953	32.00
36 31 4 038 325	Alloy Rim R51/3 to R68 1954 on	34.00
36 31 4 038 330	Spacer 7.0 R50 to R69S	.65
36 31 4 038 331	Spacer 7.05 R50 to R69S	.65
36 31 4 038 332	Spacer 7.10 R50 to R69S	.65
36 31 4 038 333	Spacer 7.15 R50 to R69S	.65
36 31 4 038 334	Spacer 7.20 R50 to R69S	.65
36 31 4 038 335	Spacer 7.25 R50 to R69S	.65
36 31 4 038 336	Spacer 7.30 R50 to R69S	.65
36 31 4 038 337	Spacer 7.35 R50 to R69S	.65
36 31 4 038 338	Spacer 7.40 R50 to R69S	.65
36 61 1 230 320	Use 36 31 1 230 320	
36 61 1 230 321	Use 36 31 1 230 321	
41 35 5 780 222	Plug for Filter Housing /5	.20
46 51 1 230 164	Seat Hinge Front	2.35
46 51 1 230 167	Seat Hinge Rear	2.35
46 51 1 230 424	Pad	.35
46 51 1 230 460	Left Handle 1970 1971	13.50
46 51 1 230 771	Left Battery Bracket	4.75
46 51 1 230 772	Right Battery Bracket	4.75
46 51 1 230 773	Rubber	.50
46 51 1 230 774	Rubber	.50
46 51 1 231 002	Frame Front	345.00
46 51 1 231 006	Frame Rear Short	130.00
46 51 1 231 084	Grommet	.50
46 51 1 231 093	Bolt	.30
46 51 1 231 233	Pin for Side Stand	2.05
46 51 1 231 801	Handle 1972 on	11.75
46 51 1 232 376	Frame Front	345.00
46 51 1 232 948	Spacer	.60
46 51 1 232 993	Frame Rear Long	140.00
46 51 4 000 019	Frame R26	270.00
46 51 4 000 022	Frame R27	270.00
46 51 4 000 032	Frame R50 to R69S	375.00
46 51 4 000 039	Frame R51/3 to R68	270.00
46 51 4 000 043	Frame R50 to R69S	375.00
46 51 4 000 210	Retainer Right R50 to R69S	13.40
46 51 4 000 212	Retainer Left R50 to R69S	13.40
46 51 4 000 220	Brace Left R50 to R69S	3.90
46 51 4 000 222	Brace Right R50 to R69S	11.65

SUGGESTED LIST

46 51 4 034 156	Spacer	.30
46 51 4 034 210	Rear Engine Bolt R50 to R69S	4.35
46 51 4 034 227	Spacer	1.25
46 51 4 034 260	Foot Rest Right	7.50
46 51 4 034 264	Foot Rest R26 R27	7.50
46 51 4 034 274	Spacer	.65
46 51 4 034 278	Bracket	3.75
46 51 9 020 184	S.C. Mount Bolt	21.75
46 51 9 034 125	Foot Rest Left	7.50
46 51 9 034 128	Foot Rest Rubber	1.50
46 52 1 230 201	Center Stand /5	39.50
46 52 1 230 210	Spacer	.65
46 52 1 230 211	Ctr.Stand Spring	.85
46 52 1 230 406	Spacer	.75
46 52 1 230 409	Support Right	1.95
46 52 1 230 411	Support Left	1.95
46 52 1 231 645	Bracket Left	1.95
46 52 1 231 815	Bumper	.80
46 52 4 028 002	Center Stand R26 R27	39.50
46 52 4 028 047	Center Stand R50 to R69S	39.50
46 52 4 028 118	Ctr.Stand Spring R26 R27	1.35
46 52 4 028 130	Ctr.Stand Spacer R26 R27	.75
46 52 4 028 135	Ctr.Stand Bumper	.95
46 52 4 028 218	Ctr.Stand Spring R50 to R69S	1.35
46 52 4 028 220	Use 07 11 9 912 620	
46 52 4 028 230	Ctr.Stand Spacer R50 to R69S	.75
46 52 4 028 260	Ctr.Stand Pin R51/3 to R68	3.35
46 53 1 230 214	Side Stand /5	25.00
46 53 1 230 219	Side Stand Spring 70/71	.85
46 53 1 231 646	Side Stand Spring 1972 on	.85
46 53 4 034 150	Foot Rest	7.50
46 53 9 024 011	Side Stand R50 to R69S US	27.00
46 53 9 024 012	Side Stand R50 to R69S	28.00
46 53 9 024 120	Side Stand Spring R27	1.70
46 53 9 024 170	Side Stand Bumper R50 to R69S	.85
46 53 9 024 174	Side Stand Spring R50 to R69S	1.70
46 53 9 024 179	Side Stand Bolt R50 to R69S	2.95
46 54 1 231 061	Luggage Box	80.00
46 54 5 096 214	Luggage Rack R50 to R69S	28.50
46 61 1 230 377	Upper Fender Brace	39.50
46 61 1 230 380	Lower Fender Brace	26.50
46 61 1 230 748	Mud Flap Front	3.85

46 61 1 231 040	Front Fender Black	50.00
46 61 1 231 041	Front Fender White	50.00
46 61 1 231 043	Front Fender Red	50.00
46 61 1 231 044	Front Fender Polaris Blue Stripe	50.00
46 61 1 231 045	Front Fender Curry	52.00
46 61 1 231 046	Front Fender Blue	52.00
46 61 1 232 009	Front Fender Pol.Black Stripe	52.00
46 61 1 232 315	Front Fender Green	52.00
46 61 5 090 022	Front Fender R50 to R69S	65.00
46 61 5 090 040	Front Fender R26 R27	61.00
46 61 5 090 050	Front Fender R50 to R69S US	65.00
46 61 5 090 116	Fender Brace R26 to R69S	26.50
46 61 5 090 150	Upper Fender Brace R50 to R69S US	39.50
46 61 5 090 151	Lower Fender Brace R50 to R69S US	19.50
46 61 5 090 154	Bolt	1.05
46 61 5 090 208	Fender Brace R51/3 to R68	18.50
46 62 1 230 766	Mud Flap Rear	7.75
46 62 1 230 798	Washer	.10
46 62 1 230 965	License Plate Bracket	3.55
46 62 1 230 975	Support Plate	.85
46 62 1 231 033	Rear Fender Black	55.00
46 62 1 231 034	Rear Fender White	55.00
46 62 1 231 036	Rear Fender Red	55.00
46 62 1 231 037	Rear Fender Pol.Blue Stripe	55.00
46 62 1 231 038	Rear Fender Curry	57.00
46 62 1 231 039	Rear Fender Blue	57.00
46 62 1 231 598	License Plate Bracket	5.50
46 62 1 232 010	Rear Fender Pol.Black Stripe	57.00
46 62 1 232 317	Rear Fender Green	57.00
46 62 5 096 022	Rear Fender R26 R27	99.50
46 62 5 096 034	Rear Fender R50 to R69S	120.00
46 62 5 096 122	Nut	1.15
46 62 5 096 124	Fender Bolt	.55
46 62 5 096 152	Cap Nut	.40
46 62 5 096 195	License Plate Bracket	5.85
46 62 5 096 277	Fender Flap R50 to R69S	48.50
46 62 5 096 281	Fender Flap R26 R27	48.50
46 63 1 231 843	Pad	.70
46 63 1 231 862	Left Panel Black	6.85
46 63 1 231 863	Right Panel Black	6.85
46 63 1 231 864	Left Panel Blue	6.85
46 63 1 231 865	Right Panel Blue	6.85
46 71 1 230 474	Front Engine Bolt	5.75
46 71 1 230 475	Rear Engine Bolt	5.85

SUGGESTED LIST

46 71 1 230 477	Passenger Foot Rest	5.80
46 71 1 230 762	Bolt for S-Bar	5.75
46 71 1 230 794	Clamp for S-Bar	5.75
46 71 1 230 833	Spacer for S-Bar	.95
51 14 1 230 956	Serial Plate	.95
51 14 1 231 819	Emblem R75/5	4.50
51 14 1 232 110	Serial Plate R50/5	.95
51 14 1 232 111	Serial Plate R60/5	.95
51 14 1 232 112	Serial Plate R75/5	.95
51 14 1 254 106	Emblem R50/5	6.50
51 14 1 254 107	Emblem R60/5	6.50
51 14 1 254 108	Emblem R75/5	6.50
51 14 1 257 533	Emblem R50/5	6.50
51 14 1 257 534	Emblem R60/5	6.50
51 14 1 257 535	Emblem R75/5	6.50
51 14 4 034 136	Serial Plate 1950 to 1969	2.40
51 14 4 080 181	Tank Emblem	7.50
51 14 5 096 146	Emblem R50S	7.50
51 14 5 096 147	Emblem R69S	7.50
51 14 6 040 110	Pad	.30
51 16 1 230 420	Left Mirror Long Stem /5	10.00
51 16 1 230 421	Nut	.95
51 16 1 231 692	Left Mirror Short /5	
51 16 1 231 693	Right Mirror Short /5	
51 18 5 076 731	Washer	.10
51 25 1 230 186	Housing for Seat Lock	5.75
51 25 1 230 187	Seat Lock	6.65
51 25 1 230 188	Retainer Ring	1.25
51 25 1 230 194	Lock Cover	1.75
51 25 1 230 482	Lock Set for Seat & Fork	20.00
51 45 1 801 524	Washer	.20
51 91 1 232 093	Paint Curry 1/2 Pt.	11.50
51 91 1 232 094	Paint Curry Qt.	40.00
51 91 1 232 095	Paint Blue 1/2 Pt.	11.50
51 91 1 232 096	Paint Blue Qt.	40.00
51 91 1 232 142	Paint Spray Curry	4.75
51 91 1 232 143	Paint Spray Blue	4.75
51 91 1 232 144	Paint Pencil White	3.60
51 91 1 232 145	Paint Pencil Curry	3.60
51 91 1 232 146	Paint Pencil Blue	3.60

51 91 1 233 214	Paint Green 1/2 Pt.	
51 91 1 233 215	Paint Green Qt.	40.00
51 91 1 233 216	Paint Spray Green	
51 91 1 233 217	Paint Pencil Green	
51 91 1 233 218	Paint Green Qt.	
51 91 1 813 069	Paint Pencil Red	3.60
51 91 1 813 070	Paint Pencil Black	3.60
51 91 1 813 075	Paint Pencil Polaris	3.60
51 91 1 813 290	Paint Thinner Metallic	6.50
51 91 1 813 316	Paint Thinner Univ.Paint	6.50
51 91 1 817 315	Paint Polaris Qt.	40.00
51 91 1 819 022	Paint Polaris 1/2 Pt.	11.50
51 91 9 196 028	Paint Carib. 1/2 Pt.	4.50
51 91 9 196 052	Paint Black 1/2 Pt.	4.50
51 91 9 196 054	Paint White 1/2 Pt.	4.50
51 91 9 196 070	Paint Red 1/2 Pt.	4.50
51 91 9 196 076	Paint Bristol 1/2 Pt.	4.50
51 91 9 196 087	Paint Polaris 1/2 Pt.	5.00
51 91 9 196 134	Paint Dover White Qt.	12.00
51 91 9 196 152	Paint Black Qt.	12.00
51 91 9 196 154	Paint White Qt.	12.00
51 91 9 196 170	Paint Red Qt.	12.00
51 91 9 196 174	Paint Turf Qt.	12.00
51 91 9 196 187	Paint Polaris Qt.	13.00
51 91 9 196 199	Paint Police Green Qt.	12.00
51 91 9 196 228	Paint Spray Carib.	4.75
51 91 9 196 233	Paint Spray Night Blue	4.75
51 91 9 196 252	Paint Spray Black	4.75
51 91 9 196 254	Paint Spray White	4.75
51 91 9 196 270	Paint Spray Red	4.75
51 91 9 196 274	Paint Spray Turf	4.75
51 91 9 196 287	Paint Spray Polaris	4.75
51 91 9 196 400	Paint for Striping Black	4.50
51 91 9 196 401	Paint for Striping White	4.50
51 91 9 196 402	Paint for Striping Blue	4.50
52 11 7 602 109	Washer	.20
52 11 8 009 560	Washer	.20
52 51 7 002 007	Pillion R26 to R69S	40.00
52 51 7 002 011	Seat Top R50 to R69S	40.00
52 51 7 002 012	Solo Seat Cpl. R50 to R69S	
52 51 7 002 116	Seat Bracket R51/3 to R68	17.50
52 51 7 002 123	Spacer	1.15
52 51 7 002 124	Spacer	1.10
52 51 7 002 141	Bushing R50 to R69S	3.85
52 51 7 002 155	Seat Spring R50 to R69S	17.10
52 51 7 002 166	Seat Bracket R50 to R69S	17.10
52 51 7 002 190	Seat Spring Bracket R50 to R69S	4.55

SUGGESTED LIST

52 53 1 230 197	Dual Seat 1970/71	89.00
52 53 1 230 197	Dual Seat 1972	99.00
52 53 1 230 313	Bumper	.85
52 53 1 230 314	Hinge for Dual Seat	4.50
52 53 1 230 315	Hinge for Dual Seat	4.50
52 53 1 230 319	Support	.60
52 53 1 230 396	Tool Tray	22.00
52 53 1 230 398	Tool Tray Gasket	2.25
52 53 1 230 500	Left Handle	5.25
52 53 1 230 501	Right Handle	5.25
52 53 1 230 669	Hinge for Solo Seat	7.75
52 63 1 230 676	Solo Seat Cpl.	83.50
52 53 1 231 319	Screw	1.00
52 53 1 231 320	Moulding Short	1.85
52 53 1 231 321	Moulding Long	3.85
52 53 1 231 326	Seat Strap	2.25
52 53 1 231 327	Washer	.20
52 53 1 231 352	Moulding	1.85
52 53 1 232 028	Moulding Long 1972 on	4.75
52 53 1 232 029	Moulding Short 1972 on	1.85
52 53 1 232 033	Seat Rail 1972 on	17.85
52 53 1 232 966	Seat Rail Long Frame	17.85
52 53 1 232 967	Dual Seat Long Frame	115.00
52 53 9 034 020	Dual Seat R50 to R69S	89.00
52 53 9 034 110	Dual Seat Bracket R50 to R69S	3.90
52 53 9 034 111	Dual Seat Bracket R50 to R69S	4.20
52 53 9 034 116	Dual Seat Bracket R26 to R27	3.90
52 53 9 034 117	Dual Seat Bracket R26 to R27	3.50
61 11 1 350 634	Harness 1970/71	16.95
61 11 1 350 636	Harness	9.95
61 11 1 354 674	Harness Short Frame	21.50
61 11 1 354 674	Harness Long Frame (Red Mark)	21.50
61 11 8 066 005	Harness R25/3	15.85
61 11 8 066 007	Harness Front R26	15.95
61 11 8 066 008	Harness Rear R26	3.65
61 11 8 066 009	Harness Front R27	15.95
61 11 8 066 010	Harness Rear R27	3.65
61 11 8 066 035	Harness R50 to R69S	21.50
61 11 8 066 045	Harness R50 to R69S 12 Volt	21.50
61 11 8 070 114	Strap 135mm	.30
61 11 8 070 118	Strap 220mm	.30
61 12 1 350 642	T.S. Harness Right	2.85
61 12 1 350 643	T.S. Harness Left	2.95
61 12 1 351 841	Harness for Front Stoplite	2.50

61 12 1 352 321	High Beam Indicator Cable	.75
61 12 1 352 611	Battery Cable Negative	3.55
61 12 1 353 312	Battery Cable Negative	3.75
61 12 1 353 313	Battery Cable Plus	6.05
61 12 1 353 489	Indicator Cable	1.25
61 12 8 042 138	Battery Strap R50 to R69S	2.65
61 12 8 054 170	Tail lite Wire R26 to R69S	1.85
61 12 8 060 113	Dimmer Cable R25 to R69S	4.95
61 12 8 066 012	Harness for T.S. R50 to R69S	1.35
61 12 8 066 014	Harness for T.S.Switch R50 to R69S	1.85
61 13 1 352 095	Grommet	.45
61 13 1 352 425	Connector	2.65
61 13 1 352 477	Tape	7.90
61 13 1 352 478	Tape Lock	.20
61 13 1 352 601	Sleeve	.20
61 13 1 354 759	Ground Cable	2.25
61 13 8 046 126	Grommet	.50
61 13 8 050 138	Washer	.30
61 13 8 060 106	Trouble Lite Plug	2.50
61 13 8 061 761	Plug	.20
61 13 8 061 769	Sleeve	.20
61 13 8 061 774	Fuse Holder	1.10
61 13 8 061 781	Plug	.40
61 13 8 070 196	Grommet	.40
61 13 8 070 232	Clamp	.45
61 13 8 080 160	Boot	.85
61 13 8 760 138	Fuse	.20
61 18 1 353 220	Harness	16.75
61 21 1 230 392	Battery Strap /5	2.65
61 21 1 350 658	Battery /5	35.00
61 21 1 350 734	Vent Tube	.40
61 21 1 352 553	Vent Tube Elbow	1.00
61 21 1 352 554	Battery Top	
61 21 8 042 007	Battery R26 R27	14.00
61 21 8 042 025	Battery R51/3 to R68	17.00
61 21 8 042 027	Battery R50 to R69S	21.50

61 21 8 042 109	Battery Pad	.85
61 21 8 042 111	Battery Pad R26 R27	.85
61 21 8 042 132	Mount	2.25
61 21 8 042 140	Battery Strap R26 R27	3.00
61 21 8 042 150	Battery Box R26 R27	28.95
61 21 8 042 160	Cover R26 R27	5.50
61 21 8 042 162	Cover for Battery Box R26 R27	22.50
61 21 8 042 168	Bumper R26 R27	.30
61 21 8 042 170	Frame R26 R27	3.25
61 21 8 042 211	Battery Pad	1.40
61 21 8 042 212	Battery Bracket for 025	2.25
61 21 8 042 213	Battery Bracket for 027	3.20
61 21 8 042 224	Battery Strap R51/3 to R68	4.00
61 21 8 042 230	Battery Bracket 12 Volt R50 to R69S	22.50
61 21 8 042 234	Bracket 12V R50 to R69S	1.50
61 31 1 351 219	Starter & T.S.Switch /5	14.00
61 31 1 351 220	Dimmer Switch /5	14.00
61 31 1 351 249	Cap for Stop Switch	.65
61 31 1 351 646	Boot for Stop Switch	1.30
61 31 1 351 647	Nut for Stop Switch	.95
61 31 1 351 662	Stop Lite Switch	4.95
61 31 1 351 799	Oil Switch	3.90
61 31 1 352 852	Flasher	1.30
61 31 1 352 941	Use 61 31 1 352 852	
61 31 1 352 942	Washer	.55
61 31 1 353 186	Relay for Siren	12.50
61 31 1 353 684	Stop Lite Switch All	2.50
61 31 1 354 274	Oil Switch /5 - /6	3.90
61 31 1 354 367	Kill Button	8.50
61 31 8 048 143	Flasher with Socket	4.40
61 31 8 048 146	Flasher 12 Volt R51/3 to R68	7.20
61 31 8 048 149	Switch Button	1.05
61 31 8 048 152	T.S.Switch R50 to R69S	10.50
61 31 8 048 162	T.S.Switch All to 1969	10.75
61 31 8 048 183	T.S.Switch R50 to R69S	9.00
61 31 8 048 195	Dimmer Switch R50 to R69S	9.00
61 31 8 050 134	Washer	.70
61 31 8 050 136	Rubber Washer	.55
61 31 8 050 138	Bushing (61 13 8 050 138)	.30
61 32 8 048 100	Ign.Lock Cpl. All	8.95
61 32 8 048 101	Bushing	1.55
61 32 8 048 102	Contact Plate	.75
61 32 8 048 103	Insulator	.85
61 32 8 048 104	Spring	.50
61 32 8 048 105	Lock	4.75
61 32 8 048 106	Cover Plate	.60
61 32 8 048 107	Outer Ring	.50
61 32 8 048 108	Inner Ring	.50

SUGGESTED LIST

61 32 8 048 118	Ign. Key	3.50
61 32 8 048 119	Ign. Key	2.30
61 32 8 048 173	Switch Plate 1954 to 1969	22.50
61 32 8 048 185	Switch Slide Cover	1.55
61 32 8 048 189	Switch Chrom. Cover	6.50
61 32 8 048 191	Spring for Slide	.45
61 33 1 351 643	Horn /5 1970/71	19.50
61 33 1 355 080	Horn /5 1972	23.00
61 33 8 046 015	Horn R25 to R27	17.00
61 33 8 046 030	Horn R51/3 to R69S	21.00
61 33 8 046 040	Horn 12 Volt	21.00
61 33 8 046 118	Horn Washer	.20
61 33 8 046 124	Horn Bracket R27	1.85
61 33 8 046 130	Horn Bracket R26 R27	.90
61 33 8 046 134	Horn Brace	.95
61 33 8 046 137	Horn Brace	1.25
61 33 9 088 170	Siren Holder	40.00
61 71 5 096 154	Plug	.30
62 11 1 350 546	Clamp	1.95
62 11 1 350 574	Nut	.60
62 11 1 351 596	Inst.Cluster R60/5	60.00
62 11 1 351 597	Inst.Cluster R75/5	60.00
62 11 1 352 622	Inst.Cluster R50/5	60.00
62 11 1 353 677	Inst.Cluster R75/5 Eng.#2 973 204 on	60.00
62 12 1 350 549	Speedo Cable /5	8.80
62 12 1 350 594	Tacho. Cable /5	8.80
62 12 1 351 554	Grommet	1.90
62 12 8 080 014	Speedo No Trip R27	40.00
62 12 8 080 015	Speedo Trip R27	50.00
62 12 8 080 035	Speedo No Trip R26 R27	40.00
62 12 8 080 048	Speedo Trip R50S	50.00
62 12 8 080 049	Speedo Trip R69S	50.00
62 12 8 080 082	Speedo Trip R50 to R69S	50.00
62 12 8 080 088	Speedo S.C. 26 x 6 Ratio	40.00
62 12 8 080 096	Speedo S.C. 27 x 7 Ratio	50.00
62 12 8 080 115	Speedo Seal	.60
62 12 8 080 127	Speedo Cable R26 R27	8.80
62 12 8 080 176	Speedo Cable R25 to R68	8.80
62 12 8 080 180	Speedo Cable R50 to R69S	8.80

62 12 8 081 720	Socket	1.00
62 13 8 080 150	Tachometer 1.4	40.00
62 13 8 080 151	Tachometer 1.2	40.00
62 13 8 080 152	Tachometer Drive	50.00
62 13 8 080 154	Tachometer Cable	8.80
62 13 8 080 156	Tachometer Cable	8.80
62 13 8 080 159	Tachometer Drive	45.00
62 14 8 048 127	Window Red-Green	3.00
62 14 8 048 128	Gasket	.75
62 14 8 048 129	Bulb Socket	5.40
62 14 8 048 130	Bulb Socket	1.85
62 14 8 081 724	1 Pole Socket	.50
62 14 8 081 725	2 Pole Socket	1.00
62 14 8 680 131	2 Pole Socket	1.00
63 12 1 351 414	Strap for Battery Panels	.50
63 12 1 351 650	Head Lite Lens /5	5.50
63 12 1 351 651	Head Lite Rim	14.50
63 12 1 351 652	Head Lite Reflector	15.85
63 12 1 351 672	Head Lite Term. Plate	29.50
63 12 1 351 764	Bulb Holder	3.85
63 12 1 352 163	Attachment Parts	4.95
63 12 1 352 164	Bracket	1.10
63 12 1 352 165	Bolt	1.65
63 12 1 352 208	Seal Ring	.55
63 12 1 352 210	Spot Lite	48.50
63 12 1 352 211	Rim & Lens	15.00
63 12 1 352 213	Socket	3.50
63 12 1 352 441	Head Lite	74.00
63 12 1 352 506	Not Available	
63 12 1 352 931	Mount	2.25
63 12 1 353 075	Wire Clamp Screw	1.00
63 12 1 353 486	Gasket	.30
63 12 1 353 487	Indicator Lite Green	1.85
63 12 1 353 623	Lens Gasket	1.50
63 12 1 354 635	Mount	1.85
63 12 1 354 687	Head Lite /5	90.00
63 12 1 356 139	Mount	2.25
63 12 1 356 986	Indicator Lite Amber	2.35
63 12 8 048 179	Socket for Headlight Bulb	5.00
63 12 8 048 181	Socket Clip	.45
63 12 8 050 010	Cable for Spot Lite	1.25
63 12 8 050 021	Head Lite White	65.00
63 12 8 050 035	Head Lite Black 1950 to 1969	65.00
63 12 8 050 128	Head Lite Rim	12.50
63 12 8 050 154	Head Lite Lens	4.50
63 12 8 050 160	Head Lite Lens Clip	.45

63 12 8 050 181	Headlite Reflector	8.50
63 12 8 050 185	Headlite Rim Screw	.30
63 12 8 071 750	Grommet	.50
63 12 8 071 754	Grommet	.45
63 12 8 650 145	Plug	2.50
63 12 9 086 116	Left Spotlite Bracket	14.85
63 12 9 086 117	Right Spotlite Bracket	14.85
63 13 1 350 504	Frnt. Turnsignal with Refl.	12.75
63 13 1 350 510	Refl. Pad	.55
63 13 1 351 745	Refl. Pad Front	.85
63 13 1 352 447	Refl. Pad Frnt. Turn Signals	1.25
63 13 1 354 791	Refl. Pad	1.10
63 13 1 354 792	Reflector Red 1972 on	2.00
63 13 1 354 793	Reflector Amber 1972 on	2.00
63 13 1 355 113	Reflector Pad Left	1.10
63 13 1 355 114	Reflector Pad Right	1.10
63 13 8 054 159	Turn Signal Lite R50 to 69S	11.50
63 13 8 054 160	Turn Signal Amber Lens R50 to 69S	1.30
63 13 8 054 161	Turn Signal Screw	.40
63 21 1 350 401	Tail Lite Housing	11.50
63 21 1 350 402	Socket with Reflector	11.50
63 21 1 350 403	Tail Lite Lens	7.90
63 21 1 350 492	Grommet	.30
63 21 1 351 524	Gasket	1.30
63 21 1 352 393	Tail Lite Cpl.	26.50
63 21 1 356 198	Tail Lite Cpl.	
63 21 1 356 297	Reflector	11.50
63 21 1 356 298	Tail Lite Lens	7.90
63 23 1 350 494	Turn Signals 1972 on	13.85
63 23 1 350 496	Reflector	7.50
63 23 1 350 497	Turn Signal Lens /5	5.00
63 23 1 350 505	Rear Turn Signal with Refl.	12.75
63 23 1 351 257	Plug	.30
63 23 1 351 407	Gasket	1.20
63 23 1 351 587	Bracket for Turn Signal	6.65
63 23 1 351 744	Refl. Pad Rear	1.00
63 23 1 352 448	Refl. for Rear Turn Signal	1.10
63 23 1 352 944	Washer	.25
63 24 8 054 118	Tail Lite Shell R26 to 69S	12.50
63 24 8 054 120	Tail Lite Lens	2.85
63 24 8 054 123	Tail Lite Gasket	.55
63 24 8 054 125	Tail Lite Rim	4.85
63 24 8 054 127	Clip for Lens	.30
63 24 8 054 130	Bulb Socket	4.85
63 24 8 054 131	Spring for Socket	.80
63 24 8 054 133	Reflector	3.10
63 24 8 054 134	Rear Assy.	21.00
63 24 8 054 135	Tail Lite Lens	4.80
63 26 8 054 111	Tail Lite Cpl. R26 to 69S	32.50
63 26 8 054 121	Window	1.10

SUGGESTED LIST

65 12 8 002 335	Bracket 12 Volt	6.00
63 31 1 353 089	Capacitor	4.50
65 31 1 355 502	Condenser	7.50
65 60 1 353 180	Bracket	7.50
65 60 1 353 181	Clamp	1.95
65 60 1 353 184	Protection Sleeve	1.50
65 60 1 353 227	Siren	
71 11 1 230 000	Pin	1.30
71 11 1 230 394	Tire Pump /5	5.00
71 11 1 230 579	Wrench	3.50
71 11 1 230 684	Wrench	5.25
71 11 1 230 685	Tool Kit	39.00
71 11 1 230 752	Tool Bag	4.00
71 11 1 232 356	Hook Wrench	
71 11 9 090 070	Pump 1950 to 1969	5.10
71 11 9 090 104	Pin	1.40
71 11 9 090 117	Wrench 14 x 17	2.05
71 11 9 090 123	Wrench 36 x 41	5.10
71 11 9 090 125	Socket	3.50
71 11 9 090 133	Tire Iron	2.05
71 11 9 090 139	Spanner	4.50
71 11 9 090 140	Carb. Wrench	2.95
71 11 9 090 147	Screw Driver	1.25
71 11 9 090 149	Screw Driver	3.25
71 11 9 090 154	Gauge	2.10
71 11 9 090 156	Wrench	2.95
71 11 9 090 174	Insert	.35
71 11 9 090 176	O Ring	.30
71 11 9 090 178	Ring Nut	.50
71 11 9 090 500	Wrench 21 x 22	4.50
71 11 9 690 009	Wrench 13 x 14	1.50
71 60 9 020 172	S. C. Attachment SetR50 to 69S	30.00
71 60 9 020 182	Eye Bolt R50 to 69S	7.00
71 60 9 020 188	Washer	.40
71 60 9 024 171	Safety Bar /5	55.00
71 60 9 024 182	U-Clamp	3.75
71 60 9 024 186	U-Clamp	5.00
71 60 9 024 190	Safety Bar Bolt R50 to R69S	2.85
71 60 9 086 104	Lens	1.10
71 60 9 086 105	Ring	3.20
71 60 9 086 119	Lens Blue	2.50
71 60 9 086 120	Lens Clear	2.50
71 60 9 086 121	Lens Red	2.50
71 60 9 086 123	Rim	5.50